CANADIAN JOURNAL OF BIOCHEMISTRY, VOLUME 46

AUTHOR INDEX

Ackman, R. G.
Lipids of the fin whale (*Balaenoptera physalus*) from North Atlantic waters. IV. Fin whale milk. R. G. Ackman, C. A. Eaton, and S. N. Hooper, 197.

Adams, G. A.
Studies on the chemical constitution of cell-wall lipopolysaccharides from *Neisseria perflava*. G. A. Adams, M. Kates, D. H. Shaw, and M. Yaguchi, 1175.

Agrawal, B. B. L.
Protein–carbohydrate interaction. XV. The role of bivalent cations in concanavalin A – polysaccharide interaction. B. B. L. Agrawal and I. J. Goldstein, 1147.

Aleyassine, H.
The influence of tumor–host relationships on plasma phosphate levels and phospholipid labelling. H. Aleyassine and P. G. Scholefield, 1427.

Anastassiades, T.
Phosphoglucoisomerase activity in the atherosclerotic aorta. I. T. Anastassiades and O. F. Denstedt, 671.

Andrews, R. L.
The effects of vitamin E, selenium, lard, and corn oil on lipids in rat serum, muscles, and testes. M. W. Dicks-Bushnell, R. L. Andrews, and N. L. Laughrey, 1023.

Armstrong, D. T.
Control of progesterone biosynthesis in the bovine corpus luteum: effects of luteinizing hormone and of reduced nicotinamide–adenine dinucleotide phosphate in vitro. D. T. Armstrong and D. L. Black, 1137.

Augustyniak, J. Z.
Characterization of glycopeptides derived from the low-density lipoprotein of hen's egg yolk. J. Z. Augustyniak and W. G. Martin, 983.

Avery, E. H.
Effect of thyroid hormones in metabolism. II. The effect of adrenalectomy or hypophysectomy on responses of rat liver enzyme activity to L-thyroxine injection. R. A. Freedland, E. H. Avery, and A. R. Taylor, 141.

Baer, E.
Synthesis of propylene glycol phospholipids: analogues of α-lecithins and α-cephalins. E. Baer, A. J. Duke, and D. Buchnea, 69.
Phosphonolipids. XVI. An alternative method for the synthesis of phosphonic acid analogues of L-α-cephalins. E. Baer and H. Basu, 351.
Erratum: Synthesis of propylene glycol phospholipids: analogues of α-lecithins and α-cephalins. E. Baer, A. J. Duke, and D. Buchnea, 512.
Erratum: Phosphonolipids. XVI. An alternative method for the synthesis of phosphonic acid analogues of L-α-cephalins. E. Baer and H. Basu, 1166. The authors' names should read: E. Baer, H. Basu, and B. C. Pal.
Phosphonolipids. XVII. Synthesis of ethylene glycolphosphonic acid analogues of lecithins. E. Baer and R. Robinson, 1273.
Phosphonolipids. XVIII. Synthesis of ethylene glycolphosphonic acid analogues of cephalins. E. Baer and H. Basu, 1279.

Baker, D. G.
Studies on the nature of the seromucoid and haptoglobin responses to experimental inflammation. M. Maung, D. G. Baker, and R. K. Murray, 477.

Barbason, H.
Mutation de dépendance vis-à-vis de la streptomycine induite par le méthanesulfonate d'éthyl chez *Escherichia coli*. W. G. Verly, A. Petitpas-Dewandre, and H. Barbason, 225.

Bárta, V.
Differences in lactate dehydrogenase isoenzyme patterns in experimental lesions of the stomach. B. Procházka, J. Kohout, L. Korbová, V. Jirásek, V. Bárta, and M. Procházková, 129.

Bastin, M.
Effect of wounding on the synthesis of phenols, phenol oxidase, and peroxidase in the tuber tissue of Jerusalem artichoke. M. Bastin, 1339.

Basu, H.
Phosphonolipids. XVI. An alternative method for the synthesis of phosphonic acid analogues of L-α-cephalins. E. Baer and H. Basu, 351.

Erratum: Phosphonolipids. XVI. An alternative method for the synthesis of phosphonic acid analogues of L-α-cephalins. E. Baer and H. Basu, 1166. The authors' names should read: E. Baer, H. Basu, and B. C. Pal.
Phosphonolipids. XVIII. Synthesis of ethylene glycolphosphonic acid analogues of cephalins. E. Baer and H. Basu, 1279.

Battell, M. L.
The sulfhydryl groups of muscle phosphorylase. I. Number and reactivity. M. L. Battell, L. B. Smillie, and N. B. Madsen, 609.

Bayley, S. T.
Codon assignments and fidelity of translation in a cell-free protein-synthesizing system from an extremely halophilic bacterium. S. T. Bayley and E. Griffiths, 937.

Beck, J. C.
The metabolism of isolated pneumocytes from rabbit lung. B. M. Wolfe, D. Rubinstein, and J. C. Beck, 151.

Belleau, B.
A biophysical basis of ligand-induced activation of excitable membranes and associated enzymes. A thermodynamic study using acetylcholinesterase as a model receptor. B. Belleau and J. L. Lavoie, 1397.

Bennett, J. R.
Maximum and minimum values for lecithin classes from various biological sources. N. H. Tattrie, J. R. Bennett, and R. Cyr, 819.

Benoiton, L.
The action of some enzymes on homolysine derivatives. J. H. Seely and L. Benoiton, 387.
Further studies on ε-lysine acylase. The ω-*N*-acyl-diamino acid hydrolase activity of avian kidney. J. Leclerc and L. Benoiton, 471.

Bernardi, G.
A comparative study of acid deoxyribonucleases extracted from different tissues and species. C. Cordonnier and G. Bernardi, 989.

Bersohn, M.
Visible, optical rotatory dispersion, and paramagnetic resonance spectra of the L-histidine–Cu(II)–L-threonine complex. B. Sarkar, M. Bersohn, Y. Wigfield, and T.-C. Chiang, 595.

Beyer, R, E.
The interaction between phosphoryl transferase and submitochondrial particles. R. E. Beyer, 677.

Bhatty, R. S.
The proteins of rapeseed (*Brassica napus* L.) soluble in salt solutions. R. S. Bhatty, S. L. McKenzie, and A. J. Finlayson, 1191.

Bhorjee, J. S.
Infrared studies of DNA, water, and inositol associations. S. J. Webb and J. S. Bhorjee, 691.

Bide, R. W.
Properties of turpentine relative to the effects on fowl plasma in vitro. I. The simulation of "leukemic" changes in normal plasma. C. Le Q. Darcel, R. W. Bide, and M. Merriman, 503.

Birmingham, M. K.
The reduction of SU-4885 by adrenal glands and other tissues and its inhibition by ACTH. I. Kraulis, H. Traikov, M. P. Li, C. P. Lantos, and M. K. Birmingham, 463.

Birnbaum, H.
Inverse relationship of hepatic copper and iron concentrations in rats fed deficient diets. T. L. Sourkes, K. Lloyd, and H. Birnbaum, 267.

Blachère, H.
Importance de la forme cristalline de l'acétate de cortisone pour sa déshydrogénation en C-1 par *Arthrobacter simplex*. G. Catroux, J.-C. Fournier et H. Blachère, 537.

Black, D. L.
Control of progesterone biosynthesis in the bovine corpus luteum: effects of luteinizing hormone and of reduced nicotinamide–adenine dinucleotide phosphate in vitro. D. T. Armstrong and D. L. Black, 1137.

Blackwood, A. C.
Simultaneous biosynthesis of pyocyanine, phenazine-1-carboxylic acid, and oxychlororaphine from labelled substrates by *Pseudomonas aeruginosa* Mac 436. P. C. Chang and A. C. Blackwood, 925.

Blair, D. G. R.
Acid-soluble metabolites of adenine-2-^{14}C and adenine-8-^{14}C in 2,6-diaminopurine-sensitive and 2,6-diaminopurine-resistant L strain mouse cells. D. G. R. Blair, 217.
Intensification of the xanthine oxidase activity of rat liver homogenates on storage. D. G. R. Blair and B. D. McLennan, 1047.

Blanchaer, M. C.
The stimulation by phosphate and the inhibition by adenine nucleotides and nicotinamide–adenine dinucleotide of the respiratory chain. M. C. Blanchaer, 315.
Respiration and oxidative phosphorylation by muscle and heart mitochondria of hamsters with hereditary myocardiopathy and polymyopathy. K. Wrogemann and M. C. Blanchaer, 323.

Bowness, J. M.
Chondroitin sulfate changes in puppy rib cartilage during the period of calcification. J. M. Bowness and M. Jacobs, 63.
Increase in serum hyaluronidase levels in rats given hydrocortisone or prednisolone. J. M. Bowness and G. Harding, 489.

Bragg, P. D.
Oxidative phosphorylation in *Escherichia coli*. P. D. Bragg and C. Hou, 631.

Brien, R. L.
Ubiquinone, vitamin A, and sterol levels in liver of neonatal pigs. W. E. J. Phillips and R. L. Brien, 291.

Brisbin, D. A.
Tritium–hydrogen exchange in insoluble collagen. D. J. Kingham and D. A. Brisbin, 1199.

Brossard, M.
Metabolism of high molecular weight, polydisperse, rapidly labeled nuclear RNA in rat liver. M. Brossard and L. Nicole, 1497.

Buchnea, D.
Synthesis of propylene glycol phospholipids: analogues of α-lecithins and α-cephalins. E. Baer, A. J. Duke, and D. Buchnea, 69.
Erratum: synthesis of propylene glycol phospholipids: analogues of α-lecithins and α-cephalins. E. Baer, A. J. Duke, and D. Buchnea, 512.

Buckley, J. T.
The relationship of protein synthesis to the secretion of the lipid moiety of low density lipoprotein by liver. J. T Buckley, T. J. Delahunty, and D. Rubinstein, 341.

Burba, J. V.
Influence of several drugs on the in vivo and in vitro activity of mammalian hepatic azo-reductase. J. V. Burba, 367.

Burley, R. W.
Lipid–protein interactions in abnormal egg yolk: a comparison of the major lipoprotein fractions from normal eggs and from the eggs of hens fed methyl sterculate. R. W. Burley, 851.

Burton, A. F.
Corticosteroid metabolism in fetal and newborn mice. A. F. Burton and C. L. Jeyes, 15.
11-Dehydrocorticosteroids in tissues of mice. A. F. Burton and R. W. Turnell, 497.

Bushuk, W.
Detection of multiple forms of proteolytic enzymes by starch gel electrophoresis. E. Kaminski and W. Bushuk, 1317.

Butler, G. C.
The photolysis of *O*-methylcytosine in phosphate solutions. P. M. Pitha and G. C. Butler, 893.

Campbell, J.
Pancreatic insulinase and its inhibition by the A and B chains and partial hydrolysate of insulin. Y. Tasaka and J. Campbell, 483.

Cape, R. E.
Quantitative determination of pyrimidine nucleotide clusters by a single spectrophotometric measurement. J. H. Spencer, R. E. Cape, A. Marks, and W. E. Mushynski, 627.
Nucleotide clusters in deoxyribonucleic acids. I. Isolation of purine oligonucleotides. R. E. Cape and J. H. Spencer, 1063.

Carroll, K. K.
The lipids of *Listeria monocytogenes*. K. K. Carroll, J. H. Cutts, and E. G. D. Murray, 899.

Carter, B. G.
The use of bacteriophage neutralization technique for the detection of anti-hapten antibody. B. G. Carter, S. L. Yo, and A. H. Sehon, 261.

Catroux, G.
Importance de la forme cristalline de l'acétate de cortisone pour sa déshydrogénation en C-1 par *Arthrobacter simplex*. G. Catroux, J.-C. Fournier et H. Blachère, 537.

Cayen, M. N.
Agents affecting lipid metabolism. XXXI. Properties of an inhibitor of cholesterol synthesis present in rabbit liver mitochondria. M. N. Cayen and D. Dvornik, 179.
Agents affecting lipid metabolism. XXXII. Effect of a liver mitochondrial extract on cholesterol synthesis in the rat. M. N. Cayen, P. Hill, and D. Dvornik, 189.
Agents affecting lipid metabolism. XXXIII. A mitochondrial swelling technique for the preparation of a liver extract which suppresses cholesterogenesis in vitro. M. N. Cayen, 191.

Cereijo-Santaló, R.
Monovalent cations and mitochondrial ATPase activity. R. Cereijo-Santaló, 55.
The effect of Mg^{++} on the ATPase activity of intact liver mitochondria. R. Cereijo-Santaló, 510.
The stimulation of the 2,4-dinitrophenol-activated ATPase by anions. R. Cereijo-Santaló, 1161.

Chang, P. C.
Simultaneous biosynthesis of pyocyanine, phenazine-1-carboxylic acid, and oxychlororaphine from labelled substrates by *Pseudomonas aeruginosa* Mac 436. P. C. Chang and A. C. Blackwood, 925.

Charlwood, P. A.
Transient distributions ensuing when ultracentrifugal equilibrium is disturbed by a substantial increase in speed. P. A. Charlwood, 845.

Cheah-Tan, C.
Liver glucokinase of the biotin deficient rat. K. Dakshinamurti and C. Cheah-Tan, 75.
Independence of growth hormone effects on nitrogen retention and free fatty acid mobilization. J. S. Cheng and N. Kalant, 1269.

Cherrington, A. D.
Drug-metabolizing activity of the human placenta. G. R. Van Petten, G. H. Hirsch, and A. D. Cherrington, 1057.

Chiang, T.-C.
Visible, optical rotatory dispersion, and paramagnetic resonance spectra of the L-histidine–Cu(II)–L-threonine complex. B. Sarkar, M. Bersohn, Y. Wigfield, and T.-C. Chiang, 595.

Chisholm, M. D.
Sources of sulfur in the thioglucosides of various higher plants. L. R. Wetter and M. D. Chisholm, 931.

Chisholm, M. J.
Fatty acids of Aceraceae seed oils. C. Y. Hopkins, A. W. Jevans, and M. J. Chisholm, 999.

Choi, Y. C.
Studies of the uptake of macromolecules by cells. I. Uptake of proteins by cells of the Ehrlich–Lettré ascites carcinoma. Y. C. Choi and E. R. M. Kay, 1443.
Studies of the uptake of macromolecules by cells. II. Metabolic aspects of protein uptake by cells of the Ehrlich–Lettré ascites carcinoma. Y. C. Choi and E. R. M. Kay, 1451.

Chrétien, M.
Erratum: Isolation, purification, and characterization of γ-lipotropic hormone from sheep pituitary glands. M. Chrétien and C. H. Li, 119.

Clavert, D. N.
Isolation and properties of a fluoride-sensitive tributyrinase from adipose tissue. J. J. Lech and D. N. Calvert, 707.

Cohen, S. L.
The role of ammonium sulfate precipitation in the removal of substances which interfere with enzymatic hydrolysis of conjugated estrogens in pregnancy urine. S. L. Cohen, 563.

Collins, D. C.
The nature of the glycosidic conjugates of estriol epimers in rabbits. D. C. Collins and D. S. Layne, 1089.

Common, R. H.
Conversion in vivo of injected estradiol-17β-4-^{14}C and estrone-4-^{14}C to urinary estradiol-17α-^{14}C by the hen. S. Mulay and R. H. Common, 965.

Connell, G. E.
Aggregation of an immunoglobulin fragment by sulfhydryl oxidation. C. I. Luks and G. E. Connell, 961.

Cordonnier, C.
A comparative study of acid deoxyribonucleases extracted from different tissues and species. C. Cordonnier and G. Bernardi, 989.

Cossins, E. A.
Isolation and some properties of argininosuccinate lyase from a higher plant source. P. D. Shargool and E. A. Cossins, 393.
5-Methyltetrahydrofolic acid and other folate derivatives in germinating pea seedlings. A. J. Roos, A. M. Spronk, and E. A. Cossins, 1533.

Cree, G. M.
O-Isopropylidene derivatives of D-allulose (D-psicose) and D-*erythro*-hexopyranose-2,3-diulose. G. M. Cree and A. S. Perlin, 765.

Curry, J. R.
Mammalian dihydroorotate–ubiquinone reductase complex. R. W. Miller, C. T. Kerr, and J. R. Curry, 1099.

Cutler, M. E.
The oxidized forms of cytochrome oxidase. G. R. Williams, R. Lemberg, and M. E. Cutler, 1371.

Cutts, J. H.
The lipids of *Listeria monocytogenes*. K. K. Carroll, J. H. Cutts, and E. G. D. Murray, 899.

Cyr, R.
Maximum and minimum values for lecithin classes from various biological sources. N. H. Tattrie, J. R. Bennett, and R. Cyr, 819.

Dakshinamurti, K.
Liver glucokinase of the biotin deficient rat. K. Dakshinamurti and C. Cheah-Tan, 75.
Lipogenesis in biotin deficiency. K. Dakshinamurti and P. R. Desjardins, 1261.

Daniel, A. M.
Fatty acid esterifying enzymes in rat adipose tissue homogenates. A. M. Daniel and D. Rubinstein, 1039.

Darcel, C. Le Q.
Properties of turpentine relative to the effects on fowl plasma in vitro. I. The simulation of "leukemic" changes in normal plasma. C. Le Q. Darcel, R. W. Bide, and M. Merriman, 503.
Properties of turpentine relative to the effects of fowl plasma in vitro. II. The separation of peroxide components of turpentine by thin-layer chromatography. C. Le Q. Darcel, 509.

Darrach, M.
Separation of soluble mouse liver 21-desoxy-20α-hydroxysteroid : NADP 20α-oxidoreductase from 21-hydroxy-20α-hydroxysteroid : NADP 20α-oxidoreductase. M. Darrach, R. E. Krehbiel, and L. A. Deeth, 715.
Studies on mouse liver 21-deoxy- and 21-hydroxy-20α-hydroxysteroid : NADP 20α-oxidoreductase. R. E. Krehbiel and M. Darrach, 1075.

Deeth, L. A.
Separation of soluble mouse liver 21-desoxy-20α-hydroxysteroid : NADP 20α-oxidoreductase from 21-hydroxy-20α-hydroxysteroid : NADP 20α-oxidoreductase. M. Darrach, R. E. Krehbiel, and L. A. Deeth, 715.

Delahunty, T. J.
The relationship of protein synthesis to the secretion of the lipid moiety of low density lipoprotein by liver. J. T. Buckley, T. J. Delahunty, and D. Rubinstein, 341.

DelliColli, H. T.
Micellar properties of bile salts. Sodium taurodeoxycholate and sodium glycodeoxycholate. J. P. Kratohvil and H. T. DelliColli, 945.

Delvin, E.
β-Glucuronidase of rat-liver lysosomes: pH–activity curves. E. Delvin and R. Gianetto, 389.

Denstedt, O. F.
Phosphoglucoisomerase activity in the atherosclerotic aorta. I. T. Anastassiades and O. F. Denstedt, 671.

Desaty, D.
Use of ^{13}C in biosynthetic studies. Incorporation of isotopically labeled acetate and aspartate into fusaric acid. D. Desaty, A. G. McInnes, D. G. Smith, and L. C. Vining, 1293.

Desjardins, P. R.
Lipogenesis in biotin deficiency. K. Dakshinamurti and P. R. Desjardins, 1261.

Dicks-Bushnell, M. W.
The effects of vitamin E, selenium, lard, and corn oil on lipids in rat serum, muscles, and testes. M. W. Dicks-Bushnell, R. L. Andrews, and N. L. Laughrey, 1023.

Diczfalusy, E.
The effect of Metopirone (SU-4885) on the metabolism of progesterone by the perfused previable human fetus. S. Shimao, N. Wiqvist, E. Diczfalusy, and S. Solomon, 663.

Diena, B. B.
Mechanism of the bentonite flocculation technique. R. Wallace, B. B. Diena, and L. Greenberg, 623.

D'Iorio, A.
Possible isoenzymes of monoamine oxidase in rat tissues. H. C. Kim and A. D'Iorio, 295.

Dobiášová, M.
Triglyceride synthesis from various precursors in adipose tissue of the rat during development. P. Hahn, R. Greenberg, M. Dobiášová, and Z. Drahota, 735.

Drahota, Z.
Triglyceride synthesis from various precursors in adipose tissue of the rat during development. P. Hahn, R. Greenberg, M. Dobiášová, and Z. Drahota, 735.

Dubuc, M. J. G.
Changes in esterified fatty acids in the isolated, perfused rabbit heart. K. Kako and M. J. G. Dubuc, 1241.

Duke, A. J.
Synthesis of propylene glycol phospholipids: analogues of α-lecithins and α-cephalins. E. Baer, A. J. Duke, and D. Buchnea, 69.
Erratum: Synthesis of propylene glycol phospholipids: analogues of α-lecithins and α-cephalins. E. Baer, A. J. Duke, and D. Buchnea, 512.

Duncan, H. J.
The utilization of glucose by tissue slices of liver and other organs of the domestic fowl. H. J. Duncan, 1321.

Dunford, H. B.
The effect of ligand binding and acid splitting on the optical rotatory dispersion of ferric horseradish peroxidase. W. D. Ellis and H. B. Dunford, 1231.
The kinetics of fluoride binding by lactoperoxidase. R. Segal, H. B. Dunford, and M. Morrison, 1471.

Dvornik, D.
Agents affecting lipid metabolism. XXXI. Properties of an inhibitor of cholesterol synthesis present in rabbit liver mitochondria. M. N. Cayen and D. Dvornik, 179.

Agents affecting lipid metabolism. XXXII. Effect of a liver mitochondrial extract on cholesterol synthesis in the rat. M. N. Cayen, P. Hill, and D. Dvornik, 189.
Agents affecting lipid metabolism. XXXVI. Effect of *N*-cyclohexyl linoleamide on hepatic cholesterogenesis in vitro. D. Dvornik, 1430.

Eaton, C. A.
Lipids of the fin whale (*Balaenoptera physalus*) from North Atlantic waters. IV. Fin whale milk. R. G. Ackman, C. A. Eaton, and S. N. Hooper, 197.

Ecobichon, D. J.
Some physical properties of the esterases of bovine liver. D. J. Ecobichon, 1131.

Edwards, G. W.
Preparation and properties of the optical antipodes of β-methoxyvaline and β-hydroxyvaline. G. W. Edwards and M. L. Minthorn, Jr., 1227.

Ellis, W. D.
The effect of ligand binding and acid splitting on the optical rotatory dispersion of ferric horseradish peroxidase. W. D. Ellis and H. B. Dunford, 1231.

Eveleigh, D. E.
Culture methods and detection of glucanases in suspension cultures of wheat and barley. O. L. Gamborg and D. E. Eveleigh, 417.

Fawcett, D. M.
The formation of sulfenyl iodides as intermediates during the in vitro iodination of tyrosine by calf thyroid homogenates. D. W. Fawcett, 1433.

Feldmuller, F.
Isolation of the γ_c-globulin of bovine cerebrospinal fluid. C. F. C. MacPherson and F. Feldmuller, 273.

Finlayson, A. J.
The proteins of rapeseed (*Brassica napus* L.) soluble in salt solutions. R. S. Bhatty, S. L. McKenzie, and A. J. Finlayson, 1191.

Foster, T. S.
Effect of some pesticides on the adrenal glands in the rat. T. S. Foster, 1115.

Fournier, J.-C.
Importance de la forme cristalline de l'acétate de cortisone pour sa déshydrogénation en C-1 par *Arthrobacter simplex*. G. Catroux, J.-C. Fournier et H. Blachère, 537.

Fragachan, F.
Further evidence of altered adrenocortical function in hypertension. Dehydroepiandrosterone excretion rate. W. Nowaczynski, F. Fragachan, J. Silah, B. Millette, and J. Genest, 1031.

Fraser, M. J.
Some properties of cytoplasmic RNA fractions of the mouse Ehrlich ascites carcinoma. K. Hosokawa and M. J. Fraser, 155.
Specific inhibition by ATP and other properties of an endonuclease of *Neurospora crassa*. E. Z. Rabin, M. Mustard, and M. J. Fraser, 1285.

Freedland, R. A.
Effect of thyroid hormones in metabolism. II. The effect of adrenalectomy or hypophysectomy on responses of rat liver enzyme activity to L-thyroxine injection. R. A. Freedland, E. H. Avery, and A. R. Taylor, 141.
Effect of adrenalectomy and hypophysectomy on responses of rat liver enzymes to high-protein diets. R. A. Freedland, 1253.
Time-course of enzyme adaptation. I. Effects of substituting dietary glucose and fructose at constant concentrations of dietary protein. B. Szepesi and R. A. Freedland, 1459.

Freeman, K. B.
The inhibition of mammalian mitochondrial NADH oxidation by chloramphenicol and its isomers and analogues. K. B. Freeman and D. Haldar, 1003.
The inhibition of protein synthesis and respiration in mouse ascites tumor cells by chloramphenicol and its isomers and analogues. D. Haldar and K. B. Freeman, 1009.

Friend, W. H.
Comparative mitochondrial function in two strains of *Aspergillus niger*. E. S. Higgins and W. H. Friend, 1515.

Gamborg, O. L.
Culture methods and detection of glucanases in suspension cultures of wheat and barley. O. L. Gamborg and E. D. Eveleigh, 417.

Genest, J.
Further evidence of altered adrenocortical function in hypertension. Dehydroepiandrosterone excretion rate. W. Nowaczynski, F. Fragachan, J. Silah, B. Millette, and J. Genest, 1031.

Gianetto, R.
β-Glucuronidase of rat-liver lysomes: pH–activity curves. E. Delvin and R. Gianetto, 389.

Goldstein, I. J.
Protein–carbohydrate interaction. XV. The role of bivalent cations in concanavalin A – polysaccharide interaction. B. B. L. Agrawal and I. J. Goldstein, 1147.

Green, W. G. E.
Increased sensitivity in fluorometric determinations of nicotinamide nucleotide coenzymes. W. G. E. Green and G. F. Israelstam, 390.

Greenberg, L.
Mechanism of the bentonite flocculation technique. R. Wallace, B. B. Diena, and L. Greenberg, 623.

Greenberg, R.
Triglyceride synthesis from various precursors in adipose tissue of the rat during development. P. Hahn, R. Greenberg, M. Dobiášová, and Z. Drahota, 735.

Griffiths, E.
Codon assignments and fidelity of translation in a cell-free protein-synthesizing system from an extremely halophilic bacterium. S. T. Bayley and E. Griffiths, 937.

Habeeb, A. F. S. A.
Microheterogeneity of human serum albumin: evidence for differences in reducibility of disulfide linkages. A. F. S. A. Habeeb, 789.

Hahn, P.
Triglyceride synthesis from various precursors in adipose tissue of the rat during development. P. Hahn, R. Greenberg, M. Dobiášová, and Z. Drahota, 735.

Haldar, D.
The inhibition of mammalian mitochondrial NADH oxidation by chloramphenicol and its isomers and analogues. K. B. Freeman and D. Haldar, 1003.
The inhibition of protein synthesis and respiration in mouse ascites tumor cells by chloramphenicol and its isomers and analogues. D. Haldar and K. B. Freeman, 1009.

Harding, G.
Increase in serum hyaluronidase levels in rats given hydrocortisone or prednisolone. J. M. Bowness and G. Harding, 489.

Hariharan, P. V.
Photochemical cross sections in cytidylyl-(3′-5′)-cytidine. P. V. Hariharan and H. E. Johns, 911.

Harwalkar, V. R.
Glycosidases in bovine milk: α-mannosidase and its inhibition by zwitterions. A. Mellors and V. R. Harwalkar, 1351.

Haskins, R. H.
The incorporation of cholesterol by *Pythium* sp. PRL 2142, and some of its effects on cell metabolism. J. H. Sietsma and R. H. Haskins, 813.

Hayashi, Y.
Ribosome aggregates of the midgut of silkworm, *Bombyx mori* L. Y. Hayashi, 117.

Henderson, J. F.
Kinetic studies of mutant human erythrocyte adenine phosphoribosyltransferases. J. F. Henderson, H. R. Miller, W. N. Kelley, F. M. Rosenbloom, and J. E. Seegmiller, 703.
Effects of modifiers on the kinetics of two-substrate enzyme reactions. J. F. Henderson, 1381.

Higgins, E. S.
Comparative mitochondrial function in two strains of *Aspergillus niger*. E. S. Higgins and W. H. Friend, 1515.

Hill, P.
Agents affecting lipid metabolism. XXXII. Effect of a liver mitochondrial extract on cholesterol synthesis in the rat. M. N. Cayen, P. Hill, and D. Dvornik, 189.

Himms-Hagen, J.
Glycerol metabolism in rabbits. J. Himms-Hagen, 1107.
Gluconeogenesis in rats during cold acclimation. P. E. Penner and J. Himms-Hagen, 1205.

Hipkiss, A. R.
Bromouracil-resistant mutant of *Chlamydomonas*. A. R. Hipkiss, 621.

Hirsch, G. H.
Drug-metabolizing activity of the human placenta. G. R. Van Petten, G. H. Hirsch, and A. D. Cherrington, 1057.

Hobkirk, R.
In vitro biosynthesis of steroid sulfates by cell-free preparations from tissues of the laying hen. H. R. Raud and R. Hobkirk, 749.
In vitro metabolism of estrone-4-^{14}C and estrone-6,7-^{3}H-3-sulfate by laying hen liver homogenates. H. R. Raud and R. Hobkirk, 759.

Hooper, S. N.
Lipids of the fin whale (*Balaenoptera physalus*) from North Atlantic waters. IV. Fin whale milk. R. G. Ackman, C. A. Eaton, and S. N. Hooper, 197.

Hopkins, C. Y.
Fatty acids of Aceraceae seed oils. C. Y. Hopkins, A. W. Jevans, and M. J. Chisholm, 999.

Hopwood, M. L.
Oxidative metabolism of bovine spermatozoa. J. F. Masken and M. L. Hopwood, 1331.

Hosokawa, K.
Some properties of cytoplasmic RNA fractions of the mouse Ehrlich ascites carcinoma. K. Hosokawa and M. J. Fraser, 155.

Hou, C.
Oxidative phosphorylation in *Escherichia coli*. P. D. Bragg and C. Hou, 631.

Huang, F.
Isolation and characterization of antigenic components of rat glomerular basement membrane. F. Huang and N. Kalant, 1523.

Ichida, T.
Aortic glycosaminoglycans in atheroma and alloxan diabetes. T. Ichida and N. Kalant, 249.

Ip, P. M. K.
Two deoxyribonucleases from Novikoff ascites hepatoma cells. P. M. K. Ip and S. Sung, 1121.

Irvine, D. M.
Composition of milk cephalins. G. M. Moore, J. B. M. Rattray, and D. M. Irvine, 205.

Israelstam, G. F.
Increased sensitivity in fluorometric determinations of nicotinamide nucleotide coenzymes. W. G. E. Green and G. F. Israelstam, 390.

Ivanov, Ch.
Fractionation of hordein by preparative, continuous carrier-free electrophoresis. Ch. Ivanov, B. Mesrob, and Z. Prusik, 1301.

Jacobs, M.
Chondroitin sulfate changes in puppy rib cartilage during the period of calcification. J. M. Bowness and M. Jacobs, 63.

Jacoli, G. G.
Mechanism of inhibition of ribonuclease by bentonite. G. G. Jacoli, 1237.

Janado, M.
Molecular heterogeneity of a pig serum low-density lipoprotein. M. Janado and W. G. Martin, 875.

Jared, D. W.
Studies on amphibian yolk. VII. Serum phosphoprotein synthesis by vitellogenic females and estrogen-treated males of *Xenopus laevis*. R. A. Wallace and D. W. Jared, 953.

Jenkins, K. J.
Evidence for the absence of selenocystine and selenomethionine in the serum proteins of chicks administered selenite. K. J. Jenkins, 1417.

Jevans, A. W.
Fatty acids of Aceraceae seed oils. C. Y. Hopkins, A. W. Jevans, and M. J. Chisholm, 999.

Jeyes, C. L.
Corticosteroid metabolism in fetal and newborn mice. A. F. Burton and C. L. Jeyes, 15.

Jezyk, P. F.
Glycerolipid metabolism in *Ascaris lumbricoides*. P. F. Jezyk, 1167.

Jirásek, V.
Differences in lactate dehydrogenase isoenzyme patterns in experimental lesions of the stomach. B. Procházka, J. Kohout, L. Korbová, V. Jirásek, V. Bárta, and M. Procházková, 129.

Johns, H. E.
Photochemical cross sections in cytidylyl-(3′-5′)-cytidine. P. V. Hariharan and H. E. Johns, 911.

Kako, K.
Changes in esterified fatty acids in the isolated, perfused rabbit heart. K. Kaho and M. J. G. Dubuc, 1241.

Kalant, N.
Aortic glycosaminoglycans in atheroma and alloxan diabetes. T. Ichida and N. Kalant, 249.
Independence of growth hormone effects on nitrogen retention and free fatty acid mobilization, J. S. Cheng and N. Kalant, 1269.
Isolation and characterization of antigenic components of rat glomerular basement membrane. F. Huang and N. Kalant, 1523.

Kaminski, E.
Detection of multiple forms of proteolytic enzymes by starch gel electrophoresis. E. Kaminski and W. Bushuk, 1317.

Kates, M.
Radioisotopic studies on the biosynthesis of the glyceryl diether lipids of *Halobacterium cutirubrum*. M. Kates, M. K. Wassef, and D. J. Kushner, 971.
Studies on the chemical constitution of cell-wall lipopolysaccharides from *Neisseria perflava*. G. A. Adams, M. Kates, D. H. Shaw, and M. Yaguchi, 1175.

Kay, C. M.
Physicochemical and chemical studies on wheat embryo ribosomal proteins. F. H. Wolfe and C. M. Kay, 373.
An optical rotatory dispersion study on fibrinogen and some of its derivatives. W. D. McCubbin and C. M. Kay, 617.
Optical rotatory dispersion and absorbance–temperature studies on wheat embryo ribosomal ribonucleates. F. H. Wolfe, K. Oikawa, and C. M. Kay, 643.

Kay, E. R. M.
Studies of the uptake of macromolecules by cells. I. Uptake of proteins by cells of the Ehrlich–Lettré ascites carcinoma. Y. C. Choi and E. R. M. Kay, 1443.
Studies of the uptake of macromolecules by cells. II. Metabolic aspects of protein uptake by cells of the Ehrlich–Lettré ascites carcinoma. Y. C. Choi and E. R. M. Kay, 1451.

Kelley, W. N.
Kinetic studies of mutant human erythrocyte adenine phosphoribosyltransferases. J. F. Henderson, H. R. Miller, W. N. Kelley, F. M. Rosenbloom, and J. E. Seegmiller, 703.

Kerr, C. T.
Mammalian dihydroorotate–ubiquinone reductase complex. R. W. Miller, C. T. Kerr, and J. R. Curry, 1099.

Kim, H. C.
Possible isoenzymes of monoamine oxidase in rat tissues. H. C. Kim and A. D'Iorio, 295.

King, J.
Glyoxylate aminotransferases from wheat leaves. J. King and E. R. Waygood, 771.

Kingham, D. J.
Tritium–hydrogen exchange in insoluble collagen. D. J. Kingham and D. A. Brisbin, 1199.

Kitai, R.
Inactivation of biologically active *N*-methyl-*N*-nitroso compounds in aqueous solution: effect of various conditions of pH and illumination. D. R. McCalla, A. Reuvers, and R. Kitai, 807.

Kohout, J.
Differences in lactate dehydrogenase isoenzyme patterns in experimental lesions of the stomach. B. Procházka, J. Kohout, L. Korbová, V. Jirásek, V. Bárta, and M. Procházková, 129.

Korbová, L.
Differences in lactate dehydrogenase isoenzyme patterns in experimental lesions of the stomach. B. Procházka, J. Kohout, L. Korbová, V. Jirásek, V. Bárta, and M. Procházková, 129.

Kratohvil, J. P.
Micellar properties of bile salts. Sodium taurodeoxycholate and sodium glycodeoxycholate. J. P. Kratohvil and H. T. DelliColli, 945.

Kraulis, I.
The reduction of SU-4885 by adrenal glands and other tissues and its inhibition by ACTH. I. Kraulis, H. Traikov, M. P. Li, C. P. Lantos, and M. K. Birmingham, 463.

Krehbiel, R. E.
Separation of soluble mouse liver 21-desoxy-20α-hydroxysteroid : NADP 20α-oxidoreductase from 21-hydroxy-20α-hydroxysteroid : NADP 20α-oxidoreductase. M. Darrach, R. E. Krehbiel, and L. A. Deeth, 715.
Studies on mouse liver 21-deoxy- and 21-hydroxy-20α-hydroxysteroid : NADP 20α-oxidoreductase. R. E. Krehbiel and M. Darrach, 1075.

Kritchevsky, D.
Influence of *N*-cyclohexyl linoleamide on cholesterol synthesis by rat liver slices. D. Kritchevsky and S. A. Tepper, 1429.

Krotkov, G.
Effects of radiation from $^{14}CO_2$ absorbed by *Pinus strobus* L. seedlings during photosynthesis on their subsequent growth and metabolism. D. J. Ursino, V. Slankis, and G. Krotkov, 919.

Kushner, D. J.
Radioisotopic studies on the biosynthesis of the glyceryl diether lipids of *Halobacterium cutirubrum*. M. Kates, M. K. Wassef, and D. J. Kushner, 971.
Absence of normal cell wall constituents from the outer layers of *Halobacterium cutirubrum*. D. J. Kushner and H. Onishi, 997.

Lane, B. G.
The chain termini of polynucleotides formed by limited enzymic fragmentation of wheat embryo ribosomal RNA. Part 1. Studies of snake venom phosphodiesterase. B. D. McLennan and B. G. Lane, 81.
The chain termini of polynucleotides formed by limited enzymic fragmentation of wheat embryo ribosomal RNA. Part 2. Studies of a snake venom ribonuclease and pancreas ribonuclease. B. D. McLennan and B. G. Lane, 93.

The in vitro $O^{2'}$-methylation of RNA in the ribonucleoprotein precursor-particles from a *relaxed* mutant of *Escherichia coli*. J. L. Nichols and B. G. Lane, 109.
In vitro $O^{2'}$-methylation of sugars in *E. coli* RNA. Part II. Methylation of ribosomal and transfer RNA by homologous methylases in crude cell-free extracts and particulate suspensions from a *relaxed* mutant of *E. coli*. J. L. Nichols and B. G. Lane, 1487.

Lantos, C. P.
The reduction of SU-4885 by adrenal glands and other tissues and its inhibition by ACTH. I. Kraulis, H. Traikov, M. P. Li, C. P. Lantos, and M. K. Birmingham, 463.

Laughrey, N. L.
The effects of vitamin E, selenium, lard, and corn oil on lipids in rat serum, muscles, and testes. M. W. Dicks-Bushnell, R. L. Andrews, and N. L. Laughrey, 1023.

Lavoie, J. L.
A biophysical basis of ligand-induced activation of excitable membranes and associated enzymes. A thermodynamic study using acetylcholinesterase as a model receptor. B. Belleau and J. L. Lavoie, 1397.

Layne, D. S.
The nature of the glycosidic conjugates of estriol epimers in rabbits. D. C. Collins and D. S. Layne, 1089.

Leal, R. S.
Suppression of hepatic cholesterogenesis in the rat by lithium ion. R. S. Leal and M. L. M. Lyra, 135.

Lech, J. J.
Isolation and properties of a fluoride-sensitive tributyrinase from adipose tissue. J. J. Lech and D. N. Calvert, 707.

Leclerc, J.
Further studies on ε-lysine acylase. The ω-*N*-acyl-diamino acid hydrolase activity of avian kidney. J. Leclerc and L. Benoiton, 471.

Lemberg, R.
The oxidized forms of cytochrome oxidase. G. R. Williams, R. Lemberg, and M. E. Cutler, 1371.

LePage, G. A.
The metabolism of α-2′-deoxythioguanosine in murine tumor cells. G. A. LePage, 655.

Lerner, M. H.
The metabolism of the erythrocyte. XVIII. Inhibition of nucleotide synthesis in human erythrocytes by adenosine. S. V. Manohar, M. H. Lerner, and D. Rubinstein, 445.

Leslie, J.
The oxidation of β-lactoglobulin in sodium dodecyl sulfate solutions. J. Leslie and F. Varricchio, 625.

Levy, S. W.
Plasma esterase and acid ribonuclease following the injection of heparin in dogs. S. W. Levy, 289.

Li, C. H.
Erratum: Isolation, purification, and characterization of γ-lipotropic hormone from sheep pituitary glands. M. Chrétien and C. H. Li, 119.

Li, M. P.
The reduction of SU-4885 by adrenal glands and other tissues and its inhibition by ACTH. I. Kraulis, H. Traikov, M. P. Li, C. P. Lantos, and M. K. Birmingham, 463.

Lloyd, K.
Inverse relationship of hepatic copper and iron concentrations in rats fed deficient diets. T. L. Sourkes, K. Lloyd, and H. Birnbaum, 267.

Lukowsky, W.
Molecular weight of erythropoietin from anemic sheep plasma and human urine. W. Lukowsky and R. H. Painter, 731.

Luks, C. I.
Aggregation of an immunoglobulin fragment by sulfhydryl oxidation. C. I. Luks and G. E. Connell, 961.

Lundgren, D. G.
Sulfur-oxidizing enzyme of *Ferrobacillus ferrooxidans* (*Thiobacillus ferrooxidans*). M. Silver and D. G. Lundgren, 457.
The thiosulfate-oxidizing enzyme of *Ferrobacillus ferrooxidans* (*Thiobacillus ferrooxidans*). M. Silver and D. G. Lundgren, 1215.

Lusena, C. V.
Size and shape of isolated rat liver mitochondria. C. V. Lusena, 879.

Lyra, M. L. M.
Suppression of hepatic cholesterogenesis in the rat by lithium ion. R. S. Leal and M. L. M. Lyra, 135.

McCalla, A. G.
Action of proteolytic enzymes on wheat gluten. H. Yang and A. G. McCalla, 1019.

McCalla, D. R.
A simple method for the isolation of fraction I protein of chloroplasts. J. H. Wilson and D. R. McCalla, 441.

Inactivation of biologically active *N*-methyl-*N*-nitroso compounds in aqueous solution: effect of various conditions of pH and illumination. D. R. McCalla, A. Reuvers, and R. Kitai, 807.
Reaction of *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine with protein: formation of nitroguanido derivatives. D. R. McCalla and A. Reuvers, 1411.

McConnell, W. B.
Incorporation of serine-U-^{14}C into α-cyanoalanine and γ-glutamyl-β-cyanoalanine in *Vicia sativa*. S. N. Nigam and W. B. McConnell, 1327.

McCubbin, W. D.
An optical rotatory dispersion study on fibrinogen and some of its derivatives. W. D. McCubbin and C. M. Kay, 617.

MacDonald, J. C.
Biosynthesis of valinomycin. J. C. MacDonald and G. P. Slater, 573.

McElroy, F. A.
Lipid synthesis in *Lipomyces lipofer*. F. A. McElroy, 303.

McGrath, R.
Metabolism of *p*-aminobenzoic acid by a chloramphenicol-producing *Streptomyces* sp. M. Siddiqueullah, R. McGrath, L. C. Vining, F. Sala, and D. W. S. Westlake, 9.
Biosynthesis of chloramphenicol. III. Phenylpropanoid intermediates. R. McGrath, L. C. Vining, F. Sala, and D. W. S. Westlake, 587.

McInnes, A. G.
Use of ^{13}C in biosynthetic studies. Incorporation of isotopically labeled acetate and aspartate into fusaric acid. D. Desaty, A. G. McInnes, D. G. Smith, and L. C. Vining, 1293.

McKenzie, S. L.
The proteins of rapeseed (*Brassica napus* L.) soluble in salt solutions. R. S. Bhatty, S. L. McKenzie, and A. J. Finlayson, 1191.

McLennan, B. D.
The chain termini of polynucleotides formed by limited enzymic fragmentation of wheat embryo ribosomal RNA. Part 1. Studies of snake venom phosphodiesterase. B. D. McLennan and B. G. Lane, 81.
The chain termini of polynucleotides formed by limited enzymic fragmentation of wheat embryo ribosomal RNA. Part 2. Studies of a snake venom ribonuclease and pancreas ribonuclease. B. D. McLennan and B. G. Lane, 93.
Intensification of the xanthine oxidase activity of rat liver homogenates on storage. D. G. R. Blair and B. D. McLennan, 1047.

McMurray, W. C.
Reversal of mitochondrial swelling associated with fatty acid oxidation. II. Effects of cytochrome *c* and carnitine on contraction of fatty acid swollen mitochondria. M. Nakatani and W. C. McMurray, 1151.

MacPherson, C. F. C.
Isolation of the γ_c-globulin of bovine cerebrospinal fluid. C. F. C. MacPherson and F. Feldmuller, 273.

Maddaiah, V. T.
Studies on the biological control of glycogen metabolism in liver. III. Subcellular distribution of glycogen metabolizing enzymes. V. T. Maddaiah and N. B. Madsen, 521.

Madsen, N. B.
Studies on the biological control of glycogen metabolism in liver. III. Subcellular distribution of glycogen metabolizing enzymes. V. T. Maddaiah and N. B. Madsen, 521.
The sulfhydryl groups of muscle phosphorylase. I. Number and reactivity. M. L. Battell, L. B. Smillie, and N. B. Madsen, 609.

Maguire, A. H.
Glucosidases and exo-glucanases. E. T. Reese, A. H. Maguire, and F. W. Parrish, 25.

Manohar, S. V.
The metabolism of the erythrocyte. XVIII. Inhibition of nucleotide synthesis in human erythrocytes by adenosine. S. V. Manohar, M. H. Lerner, and D. Rubinstein, 445.

Markert, J. R.
Egg proteins of pacific salmon, genus *Oncorhynchus*: proteins in the soluble fraction. J. R. Markert and W. E. Vanstone, 1334.

Marks, A.
Quantitative determination of pyrimidine nucleotide clusters by a single spectrophotometric measurement. J. H. Spencer, R. E. Cape, A. Marks, and W. E. Mushynski, 627.

Martin, W. G.
Molecular heterogeneity of a pig serum low-density lipoprotein. M. Janado and W. G. Martin, 875.
Characterization of glycopeptides derived from the low-density lipoprotein of hen's egg yolk. J. Z. Augustyniak and W. G. Martin, 983.

Masken, J. F.
Oxidative metabolism of bovine spermatozoa. J. F. Masken and M. L. Hopwood, 1331.

Masters, C. J.
The subcellular distribution of fatty acid components in ovine heart homogenate. A. R. Neill and C. J. Masters, 121.

Matheson, A. T.
The influence of growth phase and ionic environment on the dissociation of *Escherichia coli* ribosomes by *p*-chloromercuribenzoate. A. T. Matheson and J. H.-C. Wang, 905.

Maung, M.
Studies on the nature of the seromucoid and haptoglobin responses to experimental inflammation. M. Maung, D. G. Baker, and R. K. Murray, 477.

Mellors, A.
β-*N*-Acetylglucosaminase in bovine milk. A. Mellors, 451.
Glycosidases in bovine milk: α-mannosidase and its inhibition by zwitterions. A. Mellors and V. R. Harwalkar, 1351.

Merriman, M.
Properties of turpentine relative to the effects on fowl plasma in vitro. I. The simulation of "leukemic" changes in normal plasma. C. Le Q. Darcel, R. W. Bide, and M. Merriman, 503.

Mesrob, B.
Fractionation of hordein by preparative, continuous carrier-free electrophoresis. Ch. Ivanov, B. Mesrob, and Z. Prusik, 1301.

Migicovsky, B. B.
Glycerol as an inhibitor of cholesterol synthesis. B. B. Migicovsky, 859.

Miller, H. R.
Kinetic studies of mutant human erythrocyte adenine phosphoribosyltransferases. J. F. Henderson, H. R. Miller, W. N. Kelley, F. M. Rosenbloom, and J. E. Seegmiller, 703.

Miller, R. W.
Mammalian dihydroorotate–ubiquinone reductase complex. R. W. Miller, C. T. Kerr, and J. R. Curry, 1099.

Millette, B.
Further evidence of altered adrenocortical function in hypertension. Dehydroepiandrosterone excretion rate. W. Nowaczynski, F. Fragachan, J. Silah, B. Millette, and J. Genest, 1031.

Minthorn, Jr., M. L.
Preparation and properties of the optical antipodes of β-methoxyvaline and β-hydroxyvaline. G. W. Edwards and M. L. Minthorn, Jr., 1227.

Mishra, D.
Effect of benzimidazole and kinetin on the nicotinamide nucleotide content of senescing wheat leaves. D. Mishra and E. R. Waygood, 167.

Misra, U. K.
Liver lipids of rats administered excessive amounts of retinol. U. K. Misra, 697.

Moore, G. M.
Composition of milk cephalins. G. M. Moore, J. B. M. Rattray, and D. M. Irvine, 205.

Morello, A.
Mechanism of detoxication of some organophosphorus compounds: the role of glutathione-dependent demethylation. A. Morello, A. Vardanis, and E. Y. Spencer, 885.

Morrison, A. B.
Erratum: Factors influencing the nutritional value of fish flour. V. Chlorocholine chloride, a toxic material in samples extracted with 1,2-dichloroethane. I. C. Munro and A. B. Morrison, 195.

Morrison, M.
The kinetics of fluoride binding by lactoperoxidase. R. Segal, H. B. Dunford, and M. Morrison, 1471.

Moscarello, M. A.
The effect of metals on the binding of ^{131}I-labelled acid-soluble protein to myelin in vitro. M. A. Moscarello, D. Murdoch, and D. D. Wood, 235.

Mouriz, J.
Purification of human 19S thyroglobulin by gel filtration. J. Mouriz and J. B. Stanbury, 51.

Mulay, S.
Conversion in vivo of injected estradiol-17β-4-^{14}C and estrone-4-^{14}C to urinary estradiol-17α-^{14}C by the hen. S. Mulay and R. H. Common, 965.

Munro, I. C.
Erratum: Factors influencing the nutritional value of fish flour. V. Chlorocholine chloride, a toxic material in samples extracted with 1,2-dichloroethane. I. C. Munro and A. B. Morrison, 195.

Murdoch, D.
The effect of metals on the binding of ^{131}I-labelled acid-soluble protein to myelin in vitro. M. A. Moscarello, D. Murdoch, and D. D. Wood, 235.

Murphy, B. E. P.
Binding of testosterone and estradiol in plasma. B. E. P. Murphy, 299.

Murray, E. G. D.
The lipids of *Listeria monocytogenes*. K. K. Carroll, J. H. Cutts, and E. G. D. Murray, 899.

Murray, R. K.
Studies on the nature of the seromucoid and haptoglobin responses to experimental inflammation. M. Maung, D. G. Baker, and R. K. Murray, 477.

Mushynski, W. E.
Quantitative determination of pyrimidine nucleotide clusters by a single spectrophotometric measurement. J. H. Spencer, R. E. Cape, A. Marks, and W. E. Mushynski, 627.

Mustard, M.
Specific inhibition by ATP and other properties of an endonuclease of *Neurospora crassa*. E. Z. Rabin, M. Mustard, and M. J. Fraser, 1285.

Nakatani, M.
Reversal of mitochondrial swelling associated with fatty acid oxidation. II. Effects of cytochrome *c* and carnitine on contraction of fatty acid swollen mitochondria. M. Nakatani and W. C. McMurray, 1151.

Nakazawa, S.
Effects of inorganic salts and of ouabain on some metabolic responses of rat cerebral cortex slices to cationic and electrical stimulations. S. Nakazawa and J. H. Quastel, 355.
Acetylcholine reversal of potassium inhibition of amino acid transport in rat brain cortex slices. S. Nakazawa and J. H. Quastel, 363.
Inhibitory effects of ammonium ions and some amino acids on stimulated brain respiration and cerebral amino acid transport. S. Nakazawa and J. H. Quastel, 543.

Neelin, J. M.
Variability in cell-specific and common histones of avian erythrocytes. J. M. Neelin, 241.
The stability of acid-soluble chromosomal proteins from avian erythrocytes. G. Vidali and J. M. Neelin, 781.
Ribosomal proteins from goose reticulocytes are not histones. J. M. Neelin and G. Vidali, 1507.

Neill, A. R.
The subcellular distribution of fatty acid components in ovine heart homogenate. A. R. Neill and C. J. Masters, 121.

Neish, A. C.
Formation and occurrence of *N*-malonylphenylalanine and related compounds in plants. N. Rosa and A. C. Neish, 797.

Nelson, D. A.
The venom of the honeybee (*Apis mellifera*): free amino acids and peptides. D. A. Nelson and R. O'Connor, 1221.

Nicholls, D. M.
Biosynthesis of renal protein in aminonucleoside nephrosis. D. M. Nicholls, 527.

Nichols, J. L.
The in vitro $O^{2'}$-methylation of RNA in the ribonucleoprotein precursor-particles from a *relaxed* mutant of *Escherichia coli*. J. L. Nichols and B. G. Lane, 109.
In vitro $O^{2'}$-methylation of sugars in *E. coli* RNA. Part II. Methylation of ribosomal and transfer RNA by homologous methylases in crude cell-free extracts and particulate suspensions from a *relaxed* mutant of *E. coli*. J. L. Nichols and B. G. Lane, 1487.

Nicole, L.
Metabolism of high molecular weight, polydisperse, rapidly labeled nuclear RNA in rat liver. M. Brossard and L. Nicole, 1497.

Nigam, S. N.
Incorporation of serine-U-^{14}C into β-cyanoalanine and γ-glutamyl-β-cyanoalanine in *Vicia sativa*. S. N. Nigam and W. B. McConnell, 1327.

Notation, A. D.
Regulatory interactions of dehydroepiandrosterone and its sulfate in rat testis tissue. A. D. Notation and F. Ungar, 1185.

Nowaczynski, W.
Further evidence of altered adrenocortical function in hypertension. Dehydroepiandrosterone excretion rate. W. Nowaczynski, F. Fragachan, J. Silah, B. Millette, and J. Genest, 1031.

O'Connor, R.
The venom of the honeybee (*Apis mellifera*): free amino acids and peptides. D. A. Nelson and R. O'Connor, 1221.

Oh, Y. H.
Studies on γA-globulins and α_2-macroglobulins. Characterization of γA- and α_2-macroglobulins. B. E. Sanders and Y. H. Oh, 211.

Oikawa, K.
Optical rotatory dispersion and absorbance–temperature studies on wheat embryo ribosomal ribonucleates. F. H. Wolfe, K. Oikawa, and C. M. Kay, 643.

Olson, A. O.
Studies on the mechanism of action of ethylene. I. The effects of ethylene on mitochondria prepared from bean cotyledons. A. O. Olson and M. Spencer, 277.
Studies on the mechanism of action of ethylene. II. Effects of ethylene on mitochondria from rat liver and yeast, and on mitochondrial adenosine triphosphatase. A. O. Olson and M. Spencer, 283.
A computer simulation of the effect of ethylene on mitochondrial oxidative phosphorylation. A. O. Olson, M. Spencer, and W. V. Svrcek, 513.

O'Neill, J. J.
Degradation of the carbon skeleton of glutamic acid. S. H. Simon and J. J. O'Neill, 1333.

Onishi, H.
Absence of normal cell wall constituents from the outer layers of *Halobacterium cutirubrum*. D. J. Kushner and H. Onishi, 997.

Painter, R. H.
Molecular weight of erythropoietin from anemic sheep plasma and human urine. W. Lukowsky and R. H. Painter 731.

Parrish, F. W.
Glucosidases and exo-glucanases. E. T. Reese, A. H. Maguire, and F. W. Parrish, 25.

Patrick, S. J.
Renal gluconeogenesis, adenine nucleotides, and enzyme activities. S. J. Patrick, 1345.

Pearson, C. M.
Serum protein alterations in adjuvant-induced arthritis. H. E. Weimer, F. D. Wood, and C. M. Pearson, 743.

Penner, P. E.
Gluconeogenesis in rats during cold acclimation. P. E. Penner and J. Himms-Hagen, 1205.

Perlin, A. S.
O-Isopropylidene derivatives of D-allulose (D-psicose) and D-*erythro*-hexopyranos-2,3-diulose. G. M. Cree and A. S. Perlin, 765.

Perry, M. B.
Analysis of 2-amino-2-deoxyhexoses by gas–liquid partition chromatography. M. B. Perry and A. C. Webb, 1163.

Petitpas-Dewandre, A.
Mutation de dépendance vis-à-vis de la streptomycine induite par le méthanesulfonate d'éthyle chez *Escherichia coli*. W. G. Verly, A. Petitpas-Dewandre, and H. Barbason, 225.

Phillips, W. E. J.
Ubiquinone, vitamin A, and sterol levels in liver of neonatal pigs. W. E. J. Phillips and R. L. Brien, 291.

Pitha, P. M.
The photolysis of *O*-methylcytosine in phosphate solutions. P. M. Pitha and G. C. Butler, 893.

Procházka, B.
Differences in lactate dehydrogenase isoenzyme patterns in experimental lesions of the stomach. B. Procházka, J. Kohout, L. Korbová, V. Jirásek, V. Bárta, and M. Procházková, 129.

Procházková, M.
Differences in lactate dehydrogenase isoenzyme patterns in experimental lesions of the stomach. B. Procházka, J. Kohout, L. Korbová, V. Jirásek, V. Bárta, and M. Procházková, 129.

Prusik, Z.
Fractionation of hordein by preparative, continuous carrier-free electrophoresis. Ch. Ivanov, B. Mesrob, and Z. Prusik, 1301.

Quastel, J. H.
Effects of inorganic salts and of ouabain on some metabolic responses of rat cerebral cortex slices to cationic and electrical stimulations. S. Nakazawa and J. H. Quastel, 355.
Acetylcholine reversal of potassium inhibition of amino acid transport in rat brain cortex slices. S. Nakazawa and J. H. Quastel, 363.
Inhibitory effects of ammonium ions and some amino acids on stimulated brain respiration and cerebral amino acid transport. S. Nakazawa and J. H. Quastel, 343.

Rabin, E. Z.
Specific inhibition by ATP and other properties of an endonuclease of *Neurospora crassa*. E. Z. Rabin, M. Mustard, and M. J. Fraser, 1285.

Radhakrishnamurty, R.
Liver and erythrocyte L-aspartate : and L-alanine : 2-oxoglutarate aminotransferases of the pyridoxine-deficient rat. R. Radhakrishnamurty and Z. I. Sabry, 1081.

Rattray, J. B. M.
Composition of milk cephalins. G. M. Moore, J. B. M. Rattray, and D. M. Irvine, 205.

Raud, H. R.
In vitro biosynthesis of steroid sulfates by cell-free preparations from tissues of the laying hen. H. R. Raud and R. Hobkirk, 749.
In vitro metabolism of estrone-4-^{14}C and estrone-6,7-^{3}H-3-sulfate by laying hen liver homogenates. H. R. Raud and R. Hobkirk, 759.

Razzell, W. E.
Polynucleotidase activity of animal and plant tissue phosphodiesterases. W. E. Razzell, 1.

Redshaw, E. S.
Changes in lipids of cereal seedlings during vernalization. E. S. Redshaw and S. Zalik, 1093.

Reese, E. T.
Glucosidases and exo-glucanases. E. T. Reese, A. H. Maguire, and F. W. Parrish, 25.

Rembiesa, R.
Effect of 17α-methyltestosterone on steroid formation by rat adrenal tissue. R. Rembiesa, P. C. M. Young, and M. Saffran, 433.

Reuvers, A.
Inactivation of biologically active *N*-methyl-*N*-nitroso compounds in aqueous solution: effect of various conditions of pH and illumination. D. R. McCalla, A. Reuvers, and R. Kitai, 807.
Reaction of *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine with protein: formation of nitroguanido derivatives. D. R. McCalla and A. Reuvers, 1411.

Richardson, K. E.
Incorporation of ethanolamine-1,2-^{14}C into plant microsomal phospholipids. S. L. Vandor and K. E. Richardson, 1309.

Robinson, J.
Some energy-producing systems in *Bdellovibrio bacteriovorus*, strain 6-5-S. F. J. Simpson and J. Robinson, 865.

Robinson, R.
Phosphonolipids. XVII. Synthesis of ethylene glycolphosphonic acid analogues of lecithins. E. Baer and R. Robinson, 1273.

Rogers, C. G.
Uptake of ^{32}P-orthophosphate and incorporation into phospholipids in *Tetrahymena pyriformis* W exposed to phenothiazine derivatives. C. G. Rogers, 331.

Roos, A. J.
5-Methyltetrahydrofolic acid and other folate derivatives in germinating pea seedlings. A. J. Roos, A. M. Spronk, and E. A. Cossins, 1533.

Rosa, N.
Formation and occurrence of *N*-malonylphenylalanine and related compounds in plants. N. Rosa and A. C. Neish, 797.

Rosenbloom, F. M.
Kinetic studies of mutant human erythrocyte adenine phosphoribosyltransferases. J. F. Henderson, H. R. Miller, W. N. Kelley, F. M. Rosenbloom, and J. E. Seegmiller, 703.

Roy, J. E.
Fish liver pyrimidine deoxynucleoside phosphorylase and deoxyribosyltransferase. H. L. Tarr, J. E. Roy, and M. Yamamoto, 407.

Rubinstein, D.
The metabolism of isolated pneumocytes from rabbit lung. B. M. Wolfe, D. Rubinstein, and J. C. Beck, 151.
The relationship of protein synthesis to the secretion of the lipid moiety of low density lipoprotein by liver. J. T. Buckley, T. J. Delahunty, and D. Rubinstein, 341.
The metabolism of the erythrocyte. XVIII. Inhibition of nucleotide synthesis in human erythrocytes by adenosine. S. V. Manohar, M. H. Lerner, and D. Rubinstein, 445.
Fatty acid esterifying enzymes in rat adipose tissue homogenates. A. M. Daniel and D. Rubinstein, 1039.

Ruth, R. F.
The lactate dehydrogenases of the chicken: estimation and repression during the development of lymphoid and other tissues. G. A. Schultz and R. F. Ruth, 555.

Sabry, Z. I.
Liver and erythrocyte L-aspartate : and L-alanine : 2-oxoglutarate aminotransferases of the pyridoxine-deficient rat. R. Radhakrishnamurty and Z. I. Sabry, 1081.

Saffran, M.
Effect of 17α-methyltestosterone on steroid formation by rat adrenal tissue. R. Rembiesa, P. C. M. Young, and M. Saffran, 433.

Sala, F.
Metabolism of *p*-aminobenzoic acid by a chloramphenicol-producing *Streptomyces* sp. M. Siddiqueullah, R. McGrath, L. C. Vining, F. Sala, and D. W. S. Westlake, 9.

Biosynthesis of chloramphenicol. III. Phenylpropanoid intermediates. R. McGrath, L. C. Vining, F. Sala, and D. W. S. Westlake, 587.

Sanders, B. E.
Studies on γA-globulins and α_2-macroglobulins. Characterization of γA- and α_2-macroglobulins. B. E. Sanders and Y. H. Oh, 211.

Sane, P. V.
Amino acid, sugar, and organic acid content during germination of gateway barley and its chlorophyll mutant. P. V. Sane and S. Zalik, 1479.

Santa Rossa, B. A.
Synthesis and properties of γ-hydroxyarginine. B. A. Santa Rossa and T. Viswanatha, 725.

Sarkar, B.
Visible, optical rotatory dispersion, and paramagnetic resonance spectra of the L-histidine–Cu(II)–L-threonine complex. B. Sarkar, M. Bersohn, Y. Wigfield, and T.-C. Chiang, 595.
Evidence for albumin – Cu(II) – amino acid ternary complex. B. Sarkar and Y. Wigfield, 601.

Schneider, H.
Mutual solubility of the lipid components of egg yolk low-density lipoprotein. H. Schneider and N. H. Tattrie, 979.

Scholefield, P. G.
The influence of tumor–host relationships on plasma phosphate levels and phospholipid labelling. H. Aleyassine and P. G. Scholefield, 1427.

Schultz, G. A.
The lactate dehydrogenases of the chicken: estimation and repression during the development of lymphoid and other tissues. G. A. Schultz and R. F. Ruth, 555.

Seegmiller, J. E.
Kinetic studies of mutant human erythrocyte adenine phosphoribosyltransferases. J. F. Henderson, H. R. Miller, W. N. Kelley, F. M. Rosenbloom, and J. E. Seegmiller, 703.

Seely, J. H.
The action of some enzymes on homolysine derivatives. J. H. Seely and L. Benoiton, 387.

Segal, R.
The kinetics of fluoride binding by lactoperoxidase. R. Segal, H. B. Dunford, and M. Morrison, 1471.

Sehon, A. H.
The use of bacteriophage neutralization technique for the detection of anti-hapten antibody. B. G. Carter, S. L. Yo, and A. H. Sehon, 261.

Shargool, P. D.
Isolation and some properties of argininosuccinate lyase from a higher plant souce. P. D. Shargool and E. A. Cossins, 393.

Shaw, D. H.
Studies on the chemical constitution of cell-wall lipopolysaccharides from *Neisseria perflava*. G. A. Adams, M. Kates, D. H. Shaw, and M. Yaguchi, 1175.

Shieh, H. S.
Enzymatic oxidation of ^{14}C-labelled betaine by the marine microbe *Achromobacter cholinophagum*. H. S. Shieh, 21.

Shimao, S.
The effect of Metopirone (SU-4885) on the metabolism of progesterone by the perfused previable human fetus. S. Shimao, N. Wiqvist, E. Diczfalusy, and S. Solomon, 663.

Siddiqueullah, M.
Metabolism of *p*-aminobenzoic acid by a chloramphenicol-producing *Streptomyces* sp. M. Siddiqueullah, R. McGrath, L. C. Vining, F. Sala, and D. W. S. Westlake, 9.

Sietsma, J. H.
The incorporation of cholesterol by *Pythium* sp. PRL 2142, and some of its effects on cell metabolism. J. H. Sietsma and R. H. Haskins, 813.

Silah, J.
Further evidence of altered adrenocortical function in hypertension. Dehydroepiandrosterone excretion rate. W. Nowaczynski, F. Fragachan, J. Silah, B. Millette, and J. Genest, 1031.

Silver, M.
Sulfur-oxidizing enzyme of *Ferrobacillus ferrooxidans* (*Thiobacillus ferrooxidans*). M. Silver and D. G. Lundgren, 457.
The thiosulfate-oxidizing enzyme of *Ferrobacillus ferrooxidans* (*Thiobacillus ferrooxidans*). M. Silver and D. G. Lundgren, 1215.

Simon, S. H.
Degradation of the carbon skeleton of glutamic acid. S. H. Simon and J. J. O'Neill, 1333.

Simpson, F. J.
Some energy-producing systems in *Bdellovibrio bacteriovorus*, strain 6-5-S. F. J. Simpson and J. Robinson, 865.

Slankis, V.
Effects of radiation from $^{14}CO_2$ absorbed by *Pinus strobus* L. seedlings during photosynthesis on their subsequent growth and metabolism. D. J. Ursino, V. Slankis, and G. Krotkov, 919.

Slater, G. P.
Biosynthesis of valinomycin. J. C. MacDonald and G. P. Slater, 573.

Smillie, L. B.
The sulfhydryl groups of muscle phosphorylase. I. Number and reactivity. M. L. Battell, L. B. Smillie, and N. B. Madsen, 609.
The inhibition of chymotrypsins A_4 and B with chloromethyl ketone reagents. K. J. Stevenson and L. B. Smillie, 1357.

Smith, D. B.
Amino acid sequences of some tryptic peptides from the β-chain of horse hemoglobin. D. B. Smith, 825.

Smith, D. G.
Use of ^{13}C in biosynthetic studies. Incorporation of isotopically labeled acetate and aspartate into fusaric acid. D. Desaty, A. G. McInnes, D. G. Smith, and L. C. Vining, 1293.

Solomon, S.
The effect of Metopirone (SU-4885) on the metabolism of progesterone by the perfused previable human fetus. S. Shimao, N. Wiqvist, E. Diczfalusy, and S. Solomon, 663.

Sourkes, T. L.
Inverse relationship of hepatic copper and iron concentrations in rats fed deficient diets. T. L. Sourkes, K. Lloyd, and H. Birnbaum, 267.

Spencer, E. Y.
Mechanism of detoxication of some organophosphorus compounds: the role of glutathione-dependent demethylation. A. Morello, A. Vardanis, and E. Y. Spencer, 885.

Spencer, J. H.
Quantitative determination of pyrimidine nucleotide clusters by a single spectrophotometric measurement. J. H. Spencer, R. E. Cape, A. Marks, and W. E. Mushynski, 627.
Nucleotide clusters in deoxyribonucleic acids. I. Isolation of purine oligonucleotides. R. E. Cape and J. H. Spencer. 1063.

Spencer, M.
An evaluation of the effects of five buffers on respiratory parameters of isolated mitochondria. R. A. Stinson and M. Spencer, 43.
Studies on the mechanism of action of ethylene. I. The effects of ethylene on mitochondria prepared from bean cotyledons. A. O. Olson and M. Spencer, 277.
Studies on the mechanism of action of ethylene. II. Effects of ethylene on mitochondria from rat liver and yeast, and on mitochondrial adenosine triphosphatase. A. O. Olson and M. Spencer, 283.
A computer simulation of the effect of ethylene on mitochondrial oxidative phosphorylation. A. O. Olson, M. Spencer, and W. V. Svrcek, 513.
Some effects of phloridzin and quinacrine on photophosphorylation and carbon dioxide fixation by isolated spinach chloroplasts. J. R. Vose and M. Spencer, 1475.

Spring, M. S.
Dicoumarol biosynthesis: origin of the methylene bridge. M. S. Spring and J. R. Stoker, 1247.

Spronk, A. M.
5-Methyltetrahydrofolic acid and other folate derivatives in germinating pea seedlings. A. J. Roos, A. M. Spronk, and E. A. Cossins, 1533.

Srivastava, U.
Biochemical changes in progressive muscular dystrophy. VII. Studies on the biosynthesis of protein and RNA in various cellular fractions of the muscle of normal and dystrophic mice. U. Srivastava, 35.

Stanbury, J. B.
Purification of human 19S thyroglobulin by gel filtration. J. Mouriz and J. B. Stanbury, 51.

Stevenson, K. J.
The inhibition of chymotrypsins A_4 and B with chloromethyl ketone reagents. K. J. Stevenson and L. B. Smillie, 1357.

Stewart, H. B.
Lipid synthesis in *Lipomyces lipofer*. F. A. McElroy, 303.

Stinson, R. A.
An evaluation of the effects of five buffers on respiratory parameters of isolated mitochondria. R. A. Stinson and M. Spencer, 43.

Stoker, J. R.
Dicoumarol biosynthesis: origin of the methylene bridge. M. S. Spring and J. R. Stoker, 1247.

Sung, S.
Two deoxyribonucleases from Novikoff ascites hepatoma cells. P. M. K. Ip and S. Sung, 1121.

Svrcek, W. Y.
A computer simulation of the effect of ethylene on mitochondrial oxidative phosphorylation. A. O. Olson, M. Spencer, and W. Y. Svrcek, 513.

Szepesi, B.
Time-course of enzyme adaptation. I. Effects of substituting dietary glucose and fructose at constant concentrations of dietary protein. B. Szepesi and R. A. Freedland, 1459.

Tarr, H. L. A.
Fish liver pyrimidine deoxynucleoside phosphorylase and deoxyribosyltransferase. H. L. Tarr, J. E. Roy, and M. Yamamoto, 407.

Tasaka, Y.
Pancreatic insulinase and its inhibition by the A and B chains and partial hydrolysate of insulin. Y. Tasaka and J. Campbell, 483.

Tattrie, N. H.
Maximum and minimum values for lecithin classes from various biological sources. N. H. Tattrie, J. R. Bennett, and R. Cyr, 819.
Mutual solubility of the lipid components of egg yolk low-density lipoprotein. H. Schneider and N. H. Tattrie, 979.

Taylor, A. R.
Effect of thyroid hormones in metabolism. II. The effect of adrenalectomy or hypophysectomy on responses of rat liver enzyme activity to L-thyroxine injection. R. A. Freedland, E. H. Avery, and A. R. Taylor, 141.

Tepper, S. A.
Influence of *N*-cyclohexyl linoleamide on cholesterol synthesis by rat liver slices. D. Kritchevsky and S. A. Tepper, 1429.

Traikov, H.
The reduction of SU-4885 by adrenal glands and other tissues and its inhibition by ACTH. I. Kraulis, H. Traikov, M. P. Li, C. P. Lantos, and M. K. Birmingham, 463.

Tsai, C. C.
Relative reactivities of primary alcohols as substrates of liver alcohol dehydrogenase. C. C. Tsai, 381.

Turnell, R. W.
11-Dehydrocorticosteroids in tissues of mice. A. F. Burton and R. W. Turnell, 497.

Underhill, E. W.
Biosynthesis of mustard oil glucosides: 3-benzylmalic acid, a precursor of 2-amino-4-phenylbutyric acid and of gluconasturtiin. E. W. Underhill, 401.

Ungar, F.
Regulatory interactions of dehydroepiandrosterone and its sulfate in rat testis tissue. A. D. Notation and F. Ungar, 1185.

Ursino, D. J.
Effects of radiation from $^{14}CO_2$ absorbed by *Pinus strobus* L. seedlings during photosynthesis on their subsequent growth and metabolism. D. J. Ursino, V. Slankis, and G. Krotkov, 919.

Vandor, S. L.
Incorporation of ethanolamine-1,2-^{14}C into plant microsomal phospholipids. S. L. Vandor and K. E. Richardson, 1309.

Van Huystee, R. B.
Effect of massive X-irradiation on proteins and protein synthesis in peanut cotyledons. R. B. Van Huystee, 685.

Van Petten, G. R.
Drug-metabolizing activity of the human placenta. G. R. Van Petten, G. H. Hirsch, and A. D. Cherrington, 1057.

Vanstone, W. E.
Egg proteins of pacific salmon, genus *Oncorhynchus*: proteins in the soluble fraction. J. R. Markert and W. E. Vanstone, 1334.

Vardanis, A.
Utilization of native primer by mammalian liver glycogen synthetase: primer efficiency in binding the enzyme and in catalysis. A. Vardanis, 579.
Mechanism of detoxication of some organophosphorus compounds: the role of glutathione-dependent demethylation. A. Morello, A. Vardanis, and E. Y. Spencer, 885.

Varricchio, F.
The oxidation of β-lactoglobulin in sodium dodecyl sulfate solutions. J. Leslie and F. Varricchio, 625.

Verly, W. G.
Mutation de dépendance vis-à-vis de la streptomycine induite par le méthanesulfonate d'éthyle chez *Escherichia coli*. W. G. Verly, A. Petitpas-Dewandre, and H. Barbason, 225.

Vidali, G.
The stability of acid-soluble chromosomal proteins from avian erythrocytes. G. Vidali and J. M. Neelin, 781.
Ribosomal proteins from goose reticulocytes are not histones. J. M. Neelin and G. Vidali, 1507.

Vining, L. C.
Metabolism of *p*-aminobenzoic acid by a chloramphenicol-producing *Streptomyces* sp. M. Siddiqueullah, R. McGrath, L. C. Vining, F. Sala, and D. W. S. Westlake, 9.
Biosynthesis of chloramphenicol. III. Phenylpropanoid intermediates. R. McGrath, L. C. Vining, F. Sala, and D. W. S. Westlake, 587.
Use of ^{13}C in biosynthetic studies. Incorporation of isotopically labeled acetate and aspartate into fusaric acid. D. Desaty, A. G. McInnes, D. G. Smith, and L. C. Vining, 1293.

Viswanatha, T.
Synthesis and properties of γ-hydroxyarginine. B. A. Santa Rossa and T. Viswanatha, 725.

Vose, J. R.
Some effects of phloridzin and quinacrine on photophosphorylation and carbon dioxide fixation by isolated spinach chloroplasts. J. R. Vose and M. Spencer, 1475.

Wallace, R.
Mechanism of the bentonite flocculation technique. R. Wallace, B. B. Diena, and L. Greenberg, 623.

Wallace, R. A.
Studies on amphibian yolk. VII. Serum phosphoprotein synthesis by vitellogenic females and estrogen-treated males of *Xenopus laevis*. R. A. Wallace and D. W. Jared, 953.

Wang, J. H.-C.
The influence of growth phase and ionic environment on the dissociation of *Escherichia coli* ribosomes by *p*-chloromercuribenzoate. A. T. Matheson and J. H.-C. Wang, 905.

Wassef, M. K.
Radioisotopic studies on the biosynthesis of the glyceryl diether lipids of *Halobacterium cutirubrum*. M. Kates, M. K. Wassef, and D. J. Kushner, 971.

Waygood, E. R.
Effect of benzimidazole and kinetin on the nicotinamide nucleotide content of senescing wheat leaves. D. Mishra and E. R. Waygood, 167.
Glyoxylate aminotransferases from wheat leaves. J. King and E. R. Waygood, 771.

Webb, A. C.
Analysis of 2-amino-2-deoxyhexoses by gas–liquid partition chromatography. M. B. Perry and A. C. Webb, 1163.

Webb, S. J.
Infrared studies of DNA, water, and inositol associations. S. J. Webb and J. S. Bhorjee, 691.

Weimer, H. E.
Serum protein alterations in adjuvant-induced arthritis. H. E. Weimer, F. D. Wood, and C. M. Pearson, 743.

Westlake, D. W. S.
Metabolism of *p*-aminobenzoic acid by a chloramphenicol-producing *Streptomyces* sp. M. Siddiqueullah, R. McGrath, L. C. Vining, F. Sala, and D. W. S. Westlake, 9.
Biosynthesis of chloramphenicol. III. Phenylpropanoid intermediates. R. McGrath, L. C. Vining, F. Sala, and D. W. S. Westlake, 587.

Wetter, L. R.
Sources of sulfur in the thioglucosides of various higher plants. L. R. Wetter and M. D. Chisholm, 931.

Wiberg, G. S.
The effect of cobalt ions on energy metabolism in the rat. G. S. Wiberg, 549.

Wigfield, Y.
Visible, optical rotatory dispersion, and paramagnetic resonance spectra of the L-histidine–Cu(II)–L-threonine complex. B. Sarkar, M. Bersohn, Y. Wigfield, and T.-C. Chiang, 595.
Evidence for albumin – Cu(II) – amino acid ternary complex. B. Sarkar and Y. Wigfield 601.

Williams, G. R.
The oxidized forms of cytochrome oxidase. G. R. Williams, R. Lemberg, and M. E. Cutler, 1371.

Wilson, J. H.
A simple method for the isolation of fraction I protein of chloroplasts. J. H. Wilson and D. R. McCalla, 441.

Wiqvist, N.
The effect of Metopirone (SU-4885) on the metabolism of progesterone by the perfused previable human fetus. S. Shimao, N. Wiqvist, E. Diczfalusy, and S. Solomon, 663.

Wolfe, B. M. J.
The metabolism of isolated pneumocytes from rabbit lung. B. M. Wolfe, D. Rubinstein, and J. C. Beck, 151.

Wolfe, F. H.
Physicochemical and chemical studies on wheat embryo ribosomal proteins. F. H. Wolfe and C. M. Kay, 373.
Optical rotatory dispersion and absorbance–temperature studies on wheat embryo ribosomal ribonucleates. F. H. Wolfe, K. Oikawa, and C. M. Kay, 643.

Wood, D. D.
The effect of metals on the binding of ^{131}I-labelled acid-soluble protein to myelin in vitro. M. A. Moscarello, D. Murdoch, and D. D. Wood, 235.

Wood, F. D.
Serum protein alterations in adjuvant-induced arthritis. H. E. Weimer, F. D. Wood, and C. M. Pearson, 743.

Wrogemann, K.
Respiration and oxidative phosphorylation by muscle and heart mitochondria of hamsters with hereditary myocardiopathy and polymyopathy. K. Wrogemann and M. C. Blanchaer, 323.

Yaguchi, M.
Studies on the chemical constitution of cell-wall lipopolysaccharides from *Neisseria perflava*. G. A. Adams, M. Kates, D. H. Shaw, and M. Yaguchi, 1175.

Yamamoto, M.
Fish liver pyrimidine deoxynucleoside phosphorylase and deoxyribosyltransferase. H. L. Tarr, J. E. Roy, and M. Yamamoto, 407.
Fish muscle glycogen phosphorylase. M. Yamamoto, 423.

Yang, H.
Action of proteolytic enzymes on wheat gluten. H. Yang and A. G. McCalla, 1019.

Yo, S. L.
The use of bacteriophage neutralization technique for the detection of anti-hapten antibody. B. G. Carter, S. L. Yo, and A. H. Sehon, 261.

Young, P. C. M.
Effect of 17α-methyltestosterone on steroid formation by rat adrenal tissue. R. Rembiesa, P. C. M. Young, and M. Saffran, 433.

Zalik, S.
Changes in lipids of cereal seedlings during vernalization. E. S. Redshaw and S. Zalik, 1093.
Amino acid, sugar, and organic acid content during germination of gateway barley and its chlorophyll mutant. P. V. Sane and S. Zalik, 1479.

SUBJECT INDEX

The titles of articles published in Volume 46 are listed below under the following categories.

Bioenergetics
Blood
Carbohydrates: constitution, properties, synthesis, and metabolism
Developmental biochemistry
Endocrinology
Enzymology
Immunochemistry
Lipids: constitution and synthesis
Lipids: metabolism
Microbial metabolism
Neoplasia
Neurochemistry
Nucleic acids: constitution, synthesis, and metabolism
Nucleosides and nucleotides: constitution and metabolism
Nutrition
Pathological biochemistry
Plant biochemistry
Proteins and amino acids: metabolism
Proteins and amino acids: synthesis
Proteins: constitution and properties
Steroids
Tissue culture
Topochemistry of cells and tissues

Bioenergetics

A biophysical basis of ligand-induced activation of excitable membranes and associated enzymes. A thermodynamic study using acetylcholinesterase as a model receptor. B. Belleau and J. L. Lavoie, 1397.
Comparative mitochondrial function in two strains of *Aspergillus niger*. E. S. Higgins and W. H. Friend, 1515.
A computer simulation of the effect of ethylene on mitochondrial oxidative phosphorylation. A. O. Olson, M. Spencer, and W. V. Svrcek, 513.
Control of progesterone biosynthesis in the bovine corpus luteum: effects of luteinizing hormone and of reduced nicotinamide–adenine dinucleotide phosphate in vitro. D. T. Armstrong and D. L. Black, 1137.
Differences in lactate dehydrogenase isoenzyme patterns in experimental lesions of the stomach. B. Procházka, J Kohout, L. Korbová, V. Jirásek, V. Bárta, and M. Procházková, 129.
Effect of benzimidazole and kinetin on the nicotinamide nucleotide content of senescing wheat leaves. D. Mishra and E. R. Waygood, 167.
The effect of cobalt ions on energy metabolism in the rat. G. S. Wiberg, 549.
The effect of Mg^{++} on the ATPase activity of intact liver mitochondria. R. Cereijo-Santaló, 510.
Effects of inorganic salts and of ouabain on some metabolic responses of rat cerebral cortex slices to cationic and electrical stimulations. S. Nakazawa and J. H. Quastel, 355.
An evaluation of the effects of five buffers on respiratory parameters of isolated mitochondria. R. A. Stinson and M. Spencer, 43.
Fish muscle glycogen phosphorylase. M. Yamamoto, 423.
The inhibition of mammalian mitochondrial NADH oxidation by chloramphenicol and its isomers and analogues. K. B. Freeman and D. Haldar, 1003.
The inhibition of protein synthesis and respiration in mouse ascites tumor cells by chloramphenicol and its isomers and analogues. D. Haldar and K. B. Freeman, 1009.
Inhibitory effects of ammonium ions and some amino acids on stimulated brain respiration and cerebral amino acid transport. S. Nakazawa and J. H. Quastel, 543.
The interaction between phosphoryl transferase and submitochondrial particles. R. E. Beyer, 677.
Liver glucokinase of the biotin deficient rat. K. Dakshinamurti and C. Cheah-Tan, 75.
Mammalian dihydroorotate–ubiquinone reductase complex. R. W. Miller, C. T. Kerr, and J. R. Curry, 1099.
The metabolism of the erythrocyte. XVIII. Inhibition of nucleotide synthesis in human erythrocytes by adenosine. S. V. Manohar, M. H. Lerner, and D. Rubinstein, 445.
Monovalent cations and mitochondrial ATPase activity. R. Cereijo-Santaló, 55.
Oxidative metabolism of bovine spermatozoa. J. F. Masken and M. L. Hopwood, 1331.
Oxidative phosphorylation in *Escherichia coli*. P. D. Bragg and C. Hou, 631.
Respiration and oxidative phosphorylation by muscle and heart mitochondria of hamsters with hereditary myocardiopathy and polymyopathy. K. Wrogemann and M. C. Blanchaer, 323.
Reversal of mitochondrial swelling associated with fatty acid oxidation. II. Effects of cytochrome *c* and carnitine on contraction of fatty acid swollen mitochondria. M. Nakatani and W. C. McMurray, 1151.
Some effects of phloridzin and quinacrine on photophosphorylation and carbon dioxide fixation by isolated spinach chloroplasts. J. R. Vose and M. Spencer, 1475.
Some energy-producing systems in *Bdellovibrio bacteriovorus*, strain 6-5-S. F. J. Simpson and J. Robinson, 865.
The stimulation by phosphate and the inhibition by adenine nucleotides and nicotinamide-adenine dinucleotide of the respiratory chain. M. C. Blanchaer, 315.
Studies of the uptake of macromolecules by cells. II. Metabolic aspects of protein uptake by cells of the Ehrlich–Lettré ascites carcinoma. Y. C. Choi and E. R. M. Kay, 1451.
Studies on mouse liver 21-deoxy- and 21-hydroxy-20α-hydroxysteroid : NADP 20α-oxidoreductase. R. Krehbiel and M. Darrach, 1075.
Studies on the biological control of glycogen metabolism in liver. III. Subcellular distribution of glycogen metabolizing enzymes. V. T. Maddaiah and N. B. Madsen, 521.
The sulfhydryl groups of muscle phosphorylase. I. Number and reactivity. M. L. Battell, L. B. Smillie, and N. B. Madsen, 609.

Blood
Amino acid sequences of some tryptic peptides from the β-chain of horse hemoglobin. D. B. Smith, 825.
Binding of testosterone and estradiol in plasma. B. E. P. Murphy, 299.
Evidence for albumin – Cu(II) – amino acid ternary complex. B. Sarkar and Y. Wigfield, 601.
Evidence for the absence of selenocystine and selenomethionine in the serum proteins of chicks administered selenite. K. J. Jenkins, 1417.
The influence of tumor–host relationships on plasma phosphate levels and phospholipid labelling. H. Aleyassine and P. G. Scholefield, 1427.
Kinetic studies of mutant human erythrocyte adenine phosphoribosyltransferases. J. F. Henderson, H. R. Miller, W. N. Kelley, F. M. Rosenbloom, and J. E. Seegmiller, 703.
Liver and erythrocyte L-aspartate : and L-alanine : 2-oxoglutarate aminotransferases of the pyridoxine-deficient rat. R. Radhakrishnamurty and Z. I. Sabry, 1081.
The metabolism of the erythrocyte. XVIII. Inhibition of nucleotide synthesis in human erythrocytes by adenosine. S. V. Manohar, M. H. Lerner, and D. Rubinstein, 445.
Microheterogeneity of human serum albumin: evidence for differences in reducibility of disulfide linkages. A. F. S. A. Habeeb, 789.
Molecular heterogeneity of a pig serum low-density lipoprotein. M. Janado and W. G. Martin, 875.
Molecular weight of erythropoietin from anemic sheep plasma and human urine. W. Lukowsky and R. H. Painter, 731.
An optical rotatory dispersion study on fibrinogen and some of its derivatives. W. D. McCubbin and C. M. Kay, 617.
Plasma esterase and acid ribonuclease following the injection of heparin in dogs. S. W. Levy, 289.
Properties of turpentine relative to the effects on fowl plasma in vitro. I. The simulation of "leukemic" changes in normal plasma. C. Le Q. Darcel, R. W. Bide, and M. Merriman, 503.
Reaction of *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine with protein: formation of nitroguanido derivatives. D. R. McCalla and A. Reuvers, 1411.
Ribosomal proteins from goose reticulocytes are not histones. J. M. Neelin and G. Vidali, 1507.
Serum protein alterations in adjuvant-induced arthritis. H. E. Weimer, F. D. Wood, and C. M. Pearson, 743.
The stability of acid-soluble chromosomal proteins from avian erythrocytes. G. Vidali and J. M. Neelin, 781.
Studies on amphibian yolk. VII. Serum phosphoprotein synthesis by vitellogenic females and estrogen-treated males of *Xenopus laevis*. R. A. Wallace and D. W. Jared, 953.
Studies on γA-globulins and α_2-macroglobulins. Characterization of γA- and α_2-macroglobulins. B. E. Sanders and Y. H. Oh, 211.
Studies on the nature of the seromucoid and haptoglobin responses to experimental inflammation. M. Maung, D. G. Baker, and R. K. Murray, 477.
Variability in cell-specific and common histones of avian erythrocytes. J. M. Neelin, 241.

Carbohydrates: constitution, properties, synthesis, and metabolism
β-*N*-Acetylglucosaminase in bovine milk. A. Mellors, 451.
Amino acid, sugar, and organic acid content during germination of gateway barley and its chlorophyll mutant. P. V. Sane and S. Zalik, 1479.
Analysis of 2-amino-2-deoxyhexoses by gas–liquid partition chromatography. M. B. Perry and A. C. Webb, 1163.
Aortic glycosaminoglycans in atheroma and alloxan diabetes. T. Ichida and N. Kalant, 249.
Changes in esterified fatty acids in the isolated, perfused rabbit heart. K. Kako and M. J. G. Dubuc, 1241.
Chondroitin sulfate changes in puppy rib cartilage during the period of calcification. J. M. Bowness and M. Jacobs, 63.
Culture methods and detection of glucanases in suspension cultures of wheat and barley. O. L. Gamborg and D. E. Eveleigh, 417.
The effect of cobalt ions on energy metabolism in the rat. G. S. Wiberg, 549.
Effect of thyroid hormones in metabolism. II. The effect of adrenalectomy or hypophysectomy on responses of rat liver enzyme activity to L-thyroxine injection. R. A. Freedland, E. H. Avery, and A. R. Taylor, 141.
Gluconeogenesis in rats during cold acclimation. P. E. Penner and J. Himms-Hagen, 1205.
Glucosidases and exo-glucanases. E. T. Reese, A. H. Maguire, and F. W. Parrish, 25.
β-Glucuronidase of rat-liver lysosomes: pH-activity curves. E. Delvin and R. Gianetto, 389.
Glycerol as an inhibitor of cholesterol synthesis. B. B. Migicovsky, 859.
Glycerol metabolism in rabbits. J. Himms-Hagen, 1107.
Glycerolipid metabolism in *Ascaris lumbricoides*. P. F. Jezyk, 1167.
Increase in serum hyaluronidase levels in rats given hydrocortisone or prednisolone. J. M. Bowness and G. Harding, 489.
O-Isopropylidene derivatives of D-allulose (D-psicose) and D-*erythro*-hexopyranos-2,3-diulose. G. M. Cree and A. S. Perlin, 765.
The lactate dehydrogenases of the chicken: estimation and repression during the development of lymphoid and other tissues. G. A. Schultz and R. F. Ruth, 555.
Liver glucokinase of the biotin deficient rat. K. Dakshinamurti and C. Cheah-Tan, 75.
The metabolism of isolated pneumocytes from rabbit lung. B. M. Wolfe, D. Rubinstein, and J. C. Beck, 151.
Phosphoglucoisomerase activity in the atherosclerotic aorta. I. T. Anastassiades and O. F. Denstedt, 671.
Plasma esterase and acid ribonuclease following the injection of heparin in dogs. S. W. Levy, 289.
Protein–carbohydrate interaction. XV. The role of bivalent cations in concanavalin A – polysaccharide interaction. B. B. L. Agrawal and I. J. Goldstein, 1147.
Renal gluconeogenesis, adenine nucleotides, and enzyme activities. S. J. Patrick, 1345.
Some effects of phloridzin and quinacrine on photophosphorylation and carbon dioxide fixation by isolated spinach chloroplasts. J. R. Vose and M. Spencer, 1475.
Studies on the biological control of glycogen metabolism in liver. III. Subcellular distribution of glycogen metabolizing enzymes. V. T. Maddaiah and N. B. Madsen, 521.

Studies on the chemical constitution of cell-wall lipopolysaccharides from *Neisseria perflava*. G. A. Adams, M. Kates, D. H. Shaw, and M. Yaguchi, 1175.
Time-course of enzyme adaptation. I. Effects of substituting dietary glucose and fructose at constant concentrations of dietary protein. B. Szepesi and R. A. Freedland, 1459.
Triglyceride synthesis from various precursors in adipose tissue of the rat during development. P. Hahn, R. Greenberg, M. Dobiášová, and Z. Drahota, 735.
Use of ^{13}C in biosynthetic studies. Incorporation of isotopically labeled acetate and aspartate into fusaric acid. D. Desaty, A. G. McInnes, D. G. Smith, and L. C. Vining, 1293.
The utilization of glucose by tissue slices of liver and other organs of the domestic fowl. H. J. Duncan, 1321.
Utilization of native primer by mammalian liver glycogen synthetase: primer efficiency in binding the enzyme and in catalysis. A. Vardanis, 579.

Developmental biochemistry
Amino acid, sugar, and organic acid content during germination of gateway barley and its chlorophyll mutant. P. V. Sane and S. Zalik, 1479.
Chondroitin sulfate changes in puppy rib cartilage during the period of calcification. J. M. Bowness and M. Jacobs, 63.
Corticosteroid metabolism in fetal and newborn mice. A. F. Burton and C. L. Jeyes, 15.
Drug-metabolizing activity of the human placenta. G. R. Van Petten, G. H. Hirsch, and A. D. Cherrington, 1057.
The lactate dehydrogenases of the chicken: estimation and repression during the development of lymphoid and other tissues. G. A. Schultz and R. F. Ruth, 555.
5-Methyltetrahydrofolic acid and other folate derivatives in germinating pea seedlings. A. J. Roos, A. M. Spronk, and E. A. Cossins, 1533.
Triglyceride synthesis from various precursors in adipose tissue of the rat during development. P. Hahn, R. Greenberg, M. Dobiášová, and Z. Drahota, 735.
Ubiquinone, vitamin A, and sterol levels in liver of neonatal pigs. W. E. J. Phillips and R. L. Brien, 291.
The utilization of glucose by tissue slices of liver and other organs of the domestic fowl. H. J. Duncan, 1321.

Endocrinology
Binding of testosterone and estradiol in plasma. B. E. P. Murphy, 299.
Control of progesterone biosynthesis in the bovine corpus luteum: effects of luteinizing hormone and of reduced nicotinamide–adenine dinucleotide phosphate in vitro. D. T. Armstrong and D. L. Black, 1137.
Conversion in vivo of injected estradiol-17β-4-^{14}C and estrone-4-^{14}C to urinary estradiol-17α-^{14}C by the hen. S. Mulay and R. H. Common, 965.
11-Dehydrocorticosteroids in tissues of mice. A. F. Burton and R. W. Turnell, 497.
Effect of adrenalectomy and hypophysectomy on responses of rat liver enzymes to high-protein diets. R. A. Freedland, 1253.
Effect of 17α-methyltestosterone on steroid formation by rat adrenal tissue. R. Rembiesa, P. C. M. Young, and M. Saffran, 433.
Effect of some pesticides on the adrenal glands in the rat. T. S. Foster, 1115.
Effect of thyroid hormones in metabolism. II. The effect of adrenalectomy or hypophysectomy on responses of rat liver enzyme activity to L-thyroxine injection. R. A. Freedland, E. H. Avery, and A. R. Taylor, 141.
Erratum: Isolation, purification, and characterization of γ-lipotropic hormone from sheep pituitary glands. M. Chrétien and C. H. Li, 119.
The formation of sulfenyl iodides as intermediates during the in vitro iodination of tyrosine by calf thyroid homogenates. D. M. Fawcett, 1433.
Further evidence of altered adrenocortical function in hypertension. Dehydroepiandrosterone excretion rate. W. Nowaczynski, F. Fragachan, J. Silah, B. Millette, and J. Genest, 1031.
Increase in serum hyaluronidase levels in rats given hydrocortisone or prednisolone. J. M. Bowness and G. Harding, 489.
Independence of growth hormone effects on nitrogen retention and free fatty acid mobilization. J. S. Cheng and N. Kalant, 1269.
Molecular weight of erythropoietin from anemic sheep plasma and human urine. W. Lukowsky and R. H. Painter, 731.
The reduction of SU-4885 by adrenal glands and other tissues and its inhibition by ACTH. I. Kraulis, H. Traikov, M. P. Li, C. P. Lantos, and M. K. Birmingham, 463.
Studies on amphibian yolk. VII. Serum phosphoprotein synthesis by vitellogenic females and estrogen-treated males of *Xenopus laevis*. R. A. Wallace and D. W. Jared, 953.

Enzymology
β-*N*-Acetylglucosaminase in bovine milk. A. Mellors, 451.
Action of proteolytic enzymes on wheat gluten. H. Yang and A. G. McCalla, 1019.
The chain termini of polynucleotides formed by limited enzymic fragmentation of wheat embryo ribosomal RNA. Part 1. Studies of snake venom phosphodiesterase. B. D. McLennan and B. G. Lane, 81.
The chain termini of polynucleotides formed by limited enzymic fragmentation of wheat embryo ribosomal RNA. Part 2. Studies of a snake venom ribonuclease and pancreas ribonuclease. B. D. McLennan and B. G. Lane, 93.
A comparative study of acid deoxyribonucleases extracted from different tissues and species. C. Cordonnier and G. Bernardi, 989.
Detection of multiple forms of proteolytic enzymes by starch gel electrophoresis. E. Kaminski and W. Bushuk, 1317.
Drug-metabolizing activity of the human placenta. G. R. Van Petten, G. H. Hirsch, and A. D. Cherrington, 1057.
The effect of ligand binding and acid splitting on the optical rotatory dispersion of ferric horseradish peroxidase. W. D. Ellis and H. B. Dunford, 1231.
Effects of modifiers on the kinetics of two-substrate enzyme reactions. J. F. Henderson, 1381.

Enzymatic oxidation of ^{14}C-labelled betaine by the marine microbe *Achromobacter cholinophagum*. H. S. Shieh, 21.
Fatty acid esterifying enzymes in rat adipose tissue homogenates. A. M. Daniel and D. Rubinstein, 1039.
Fish liver pyrimidine deoxynucleoside phosphorylase and deoxyribosyltransferase. H. L. Tarr, J. E. Roy, and M. Yamamoto, 407.
Further studies on ε-lysine acylase. The ω-*N*-acyl-diamino acid hydrolase activity of avian kidney. J. Leclerc and L. Benoiton, 471.
Glucosidases and exo-glucanases. E. T. Reese, A. H. Maguire, and F. W. Parrish, 25.
β-Glucuronidase of rat-liver lysosomes: pH-activity curves. E. Delvin and R. Gianetto, 389.
Glycerol metabolism in rabbits. J. Himms-Hagen, 1107.
Glycosidases in bovine milk: α-mannosidase and its inhibition by zwitterions. A. Mellors and V. R. Harwalkar, 1351.
Glyoxylate aminotransferases from wheat leaves. J. King and E. R. Waygood, 771.
Increased sensitivity in fluorometric determinations of nicotinamide nucleotide coenzymes. W. G. E. Green and G. F. Israelstam, 390.
The inhibition of chymotrypsins A_4 and B with chloromethyl ketone reagents. K. J. Stevenson and L. B. Smillie, 1357.
Intensification of the xanthine oxidase activity of rat liver homogenates on storage. D. G. R. Blair and B. D. McLennan, 1047.
Isolation and properties of a fluoride-sensitive tributyrinase from adipose tissue. J. J. Lech and D. N. Calvert, 707.
Isolation and some properties of argininosuccinate lyase from a higher plant source. P. D. Shargool and E. A. Cossins, 393.
Kinetic studies of mutant human erythrocyte adenine phosphoribosyltransferases. J. F. Henderson, H. R. Miller, W. N. Kelley, F. M. Rosenbloom, and J. E. Seegmiller, 703.
The kinetics of fluoride binding by lactoperoxidase. R. Segal, H. B. Dunford, and M. Morrison, 1471.
Mechanism of inhibition of ribonuclease by bentonite. G. G. Jacoli, 1237.
The oxidized forms of cytochrome oxidase. G. R. Williams, R. Lemberg, and M. E. Cutler, 1371.
Pancreatic insulinase and its inhibition by the A and B chains and partial hydrolysate of insulin. Y. Tasaka and J. Campbell, 483.
Polynucleotidase activity of animal and plant tissue phosphodiesterases. W. E. Razzell, 1.
Possible isoenzymes of monoamine oxidase in rat tissues. H. C. Kim and A. D'Iorio, 295.
Relative reactivities of primary alcohols as substrates of liver alcohol dehydrogenase. C. C. Tsai, 381.
Separation of soluble mouse liver 21-desoxy-20α-hydroxysteroid : NADP 20α-oxidoreductase from 21-hydroxy-20α-hydroxysteroid : NADP 20α-oxidoreductase. M. Darrach, R. E. Krehbiel, and L. A. Deeth, 715.
A simple method for the isolation of fraction I protein of chloroplasts. J. H. Wilson and D. R. McCalla, 441.
Some physical properties of the esterases of bovine liver. D. J. Ecobichon, 1131.
Specific inhibition by ATP and other properties of an endonuclease of *Neurospora crassa*. E. Z. Rabin, M. Mustard, and M. J. Fraser, 1285.
The stimulation of the 2,4-dinitrophenol-activated ATPase by anions. R. Cereijo-Santaló, 1161.
The sulfhydryl groups of muscle phosphorylase. I. Number and reactivity. M. L. Battell, L. B. Smillie, and N. B. Madsen, 609.
Sulfur-oxidizing enzyme of *Ferrobacillus ferrooxidans* (*Thiobacillus ferrooxidans*). M. Silver and D. G. Lundgren, 457.
The thiosulfate-oxidizing enzyme of *Ferrobacillus ferrooxidans* (*Thiobacillus ferrooxidans*). M. Silver and D. G. Lundgren, 1215.
Time-course of enzyme adaptation. I. Effects of substituting dietary glucose and fructose at constant concentrations of dietary protein. B. Szepesi and R. A. Freedland, 1459.
Two deoxyribonucleases from Novikoff ascites hepatoma cells. P. M. K. Ip and S. Sung, 1121.
Utilization of native primer by mammalian liver glycogen synthetase: primer efficiency in binding the enzyme and in catalysis. A. Vardanis, 579.

Immunochemistry

The effect of metals on the binding of ^{131}I-labelled acid-soluble protein to myelin in vitro. M. A. Moscarello, D. Murdoch, and D. D. Wood, 235.
Isolation and characterization of antigenic components of rat glomerular basement membrane. F. Huang and N. Kalant, 1523.
Isolation of the γ_c-globulin of bovine cerebrospinal fluid. C. F. C. MacPherson and F. Feldmuller, 273.
Mechanism of the bentonite flocculation technique. R. Wallace, B. B. Diena, and L. Greenberg, 623.
Serum protein alterations in adjuvant-induced arthritis. H. E. Weimer, F. D. Wood, and C. M. Pearson, 743.
Studies on the nature of the seromucoid and haptoglobin responses to experimental inflammation. M. Maung, D. G. Baker, and R. K. Murray, 477.
The use of bacteriophage neutralization technique for the detection of anti-hapten antibody. B. G. Carter, S. L. Yo, and A. H. Sehon, 261.

Lipids: constitution and synthesis

Agents affecting lipid metabolism. XXXI. Properties of an inhibitor of cholesterol synthesis present in rabbit liver mitochondria. M. N. Cayen and D. Dvornik, 179.
Agents affecting lipid metabolism. XXXII. Effect of a liver mitochondrial extract on cholesterol synthesis in the rat. M. N. Cayen, P. Hill, and D. Dvornik, 189.
Agents affecting lipid metabolism. XXXIII. A mitochondrial swelling technique for the preparation of a liver extract which suppresses cholesterogenesis in vitro. M. N. Cayen, 191.
Agents affecting lipid metabolism. XXXVI. Effect of *N*-cyclohexyl linoleamide on hepatic cholesterogenesis in vitro. D. Dvornik, 1430.
Composition of milk cephalins. G. M. Moore, J. B. M. Rattray, and D. M. Irvine, 205.
Egg proteins of pacific salmon, genus *Oncorhynchus*: proteins in the soluble fraction. J. R. Markert and W. E. Vanstone, 1334.

Erratum: Phosphonolipids. XVI. An alternative method for the synthesis of phosphonic acid analogues of L-α-cephalins. E. Baer, H. Basu, and B. C. Pal, 1166.
Erratum: Synthesis of propylene glycol phospholipids: analogues of α-lecithins and α-cephalins. E. Baer, A. J. Duke, and D. Buchnea, 512.
Fatty acids of Aceraceae seed oils. C. Y. Hopkins, A. W. Jevans, and M. J. Chisholm, 999.
Glycerol as an inhibitor of cholesterol synthesis. B. B. Migicovsky, 859.
Glycerolipid metabolism in *Ascaris lumbricoides*. P. F. Jezyk, 1167.
Incorporation of ethanolamine-1,2-^{14}C into plant microsomal phospholipids. S. L. Vandor and K. E. Richardson, 1309.
Influence of *N*-cyclohexyl linoleamide on cholesterol synthesis by rat liver slices. D. Kritchevsky and S. A. Tepper, 1429.
Lipid synthesis in *Lipomyces lipofer*. F. A. McElroy, 303.
The lipids of *Listeria monocytogenes*. K. K. Carroll, J. H. Cutts, and E. G. D. Murray, 899.
Lipids of the fin whale (*Balaenoptera physalus*) from North Atlantic waters. IV. Fin whale milk. R. G. Ackman, C. A. Eaton, and S. N. Hooper, 197.
Lipogenesis in biotin deficiency. K. Dakshinamurti and P. R. Desjardins, 1261.
Maximum and minimum values for lecithin classes from various biological sources. N. H. Tattrie, J. R. Bennett, and R. Cyr, 819.
Molecular heterogeneity of a pig serum low-density lipoprotein. M. Janado and W. G. Martin, 875.
Mutual solubility of the lipid components of egg yolk low-density lipoprotein. H. Schneider and N. H. Tattrie, 979.
Phosphonolipids. XVI. An alternative method for the synthesis of phosphonic acid analogues of L-α-cephalins. E. Baer, H. Basu, and B. C. Pal, 351.
Phosphonolipids. XVII. Synthesis of ethylene glycolphosphonic acid analogues of lecithins. E. Baer and R. Robinson, 1273.
Phosphonolipids. XVIII. Synthesis of ethylene glycolphosphonic acid analogues of cephalins. E. Baer and H. Basu, 1279.
Radioisotopic studies on the biosynthesis of the glyceryl diether lipids of *Halobacterium cutirubrum*. M. Kates, M. K. Wassef, and D. J. Kushner, 971.
Studies on the chemical constitution of cell-wall lipopolysaccharides from *Neisseria perflava*. G. A. Adams, M. Kates, D. H. Shaw, and M. Yaguchi, 1175.
Suppression of hepatic cholesterogenesis in the rat by lithium ion. R. S. Leal and M. L. M. Lyra, 135.
Synthesis of propylene glycol phospholipids: analogues of α-lecithins and α-cephalins. E. Baer, A. J. Duke, and D. Buchnea, 69.
Triglyceride synthesis from various precursors in adipose tissue of the rat during development. P. Hahn, R. Greenberg, M. Dobiášová, and Z. Drahota, 735.
Uptake of ^{32}P-orthophosphate and incorporation into phospholipids in *Tetrahymena pyriformis* W exposed to phenothiazine derivatives. C. G. Rogers, 331.

Lipids: metabolism

Aortic glycosaminoglycans in atheroma and alloxan diabetes. T. Ichida and N. Kalant, 249.
Changes in esterified fatty acids in the isolated, perfused rabbit heart. K. Kako and M. J. G. Dubuc, 1241.
Changes in lipids of cereal seedlings during vernalization. E. S. Redshaw and S. Zalik, 1093.
Characterization of glycopeptides derived from the low-density lipoprotein of hen's egg yolk. J. Z. Augustyniak and W. G. Martin, 983.
The effects of vitamin E, selenium, lard, and corn oil on lipids in rat serum muscles and testes. M. W. Dicks-Bushnell R. L. Andrews, and N. L. Laughrey, 1023.
Erratum: Isolation, purification, and characterization of γ-lipotropic hormone from sheep pituitary glands. M. Chrétien and C. H. Li, 119.
Fatty acid esterifying enzymes in rat adipose tissue homogenates. A. M. Daniel and D. Rubinstein, 1039.
Incorporation of ethanolamine-1,2-^{14}C into plant microsomal phospholipids. S. L. Vandor and K. E. Richardson, 1309.
Independence of growth hormone effects on nitrogen retention and free fatty acid mobilization. J. S. Cheng and N. Kalant, 1269.
The influence of tumor–host relationships on plasma phosphate levels and phospholipid labelling. H. Aleyassine and P. G. Scholefield, 1427.
Isolation and properties of a fluoride-sensitive tributyrinase from adipose tissue. J. J. Lech and D. N. Calvert, 707.
Lipid–protein interactions in abnormal egg yolk: a comparison of the major lipoprotein fractions from normal eggs and from the eggs of hens fed methyl sterculate. R. W. Burley, 851.
Lipogenesis in biotin deficiency. K. Dakshinamurti and P. R. Desjardins, 1261.
Liver lipids of rats administered excessive amounts of retinol. U. K. Misra, 697.
The metabolism of isolated pneumocytes from rabbit lung. B. M. Wolfe, D. Rubinstein, and J. C. Beck, 151.
Plasma esterase and acid ribonuclease following the injection of heparin in dogs. S. W. Levy, 289.
Properties of turpentine relative to the effects on fowl plasma in vitro. I. The simulation of "leukemic" changes in normal plasma. C. Le Q. Darcel, R. W. Bide, and M. Merriman, 503.
The relationship of protein synthesis to the secretion of the lipid moiety of low density lipoprotein by liver. J. T. Buckley, T. J. Delahunty, and D. Rubinstein, 341.
Reversal of mitochondrial swelling associated with fatty acid oxidation. II. Effects of cytochrome *c* and carnitine on contraction of fatty acid swollen mitochondria. M. Nakatani and W. C. McMurray, 1151.
Studies on amphibian yolk. VII. Serum phosphoprotein synthesis by vitellogenic females and estrogen-treated males of *Xenopus laevis*. R. A. Wallace and D. W. Jared, 953.
The subcellular distribution of fatty acid components in ovine heart homogenate. A. R. Neill and C. J. Masters, 121.

Triglyceride synthesis from various precursors in adipose tissue of the rat during development P. Hahn, R. Greenberg, M. Dobiášová, and Z. Drahota, 735.
Ubiquinone, vitamin A, and sterol levels in liver of neonatal pigs. W. E. J. Phillips and R. L. Brien, 291.
The utilization of glucose by tissue slices of liver and other organs of the domestic fowl. H. J. Duncan, 1321.

Microbial metabolism
Absence of normal cell wall constituents from the outer layers of *Halobacterium cutirubrum*. D. J. Kushner and H. Onishi, 997.
The action of some enzymes on homolysine derivatives. J. H. Seely and L. Benoiton, 387.
Biosynthesis of chloramphenicol. III. Phenylpropanoid intermediates. R. McGrath, L. C. Vining, F. Sala, and D. W. S. Westlake, 587.
Biosynthesis of valinomycin. J. C. MacDonald and G. P. Slater, 573.
Bromouracil-resistant mutant of *Chlamydomonas*. A. R. Hipkiss, 621.
Condon assignments and fidelity of translation in a cell-free protein-synthesizing system from an extremely halophilic bacterium. S. T. Bayley and E. Griffiths, 937.
Comparative mitochondrial function in two strains of *Aspergillus niger*. E. S. Higgins and W. H. Friend, 1515.
Dicoumarol biosynthesis: origin of the methylene bridge. M. S. Spring and J. R. Stoker, 1247.
Enzymatic oxidation of ^{14}C-labelled betaine by the marine microbe *Achromobacter cholinophagum*. H. S. Shieh, 21.
Importance de la forme cristalline de l'acétate de cortisone pour sa déshydrogénation en C-1 par *Arthrobacter simplex*. G. Catroux, J.-C. Fournier et H. Blachère, 537.
The in vitro $O^{2'}$-methylation of RNA in the ribonucleoprotein precursor-particles from a *relaxed* mutant of *Escherichia coli*. J. L. Nichols and B. G. Lane, 109.
In vitro $O^{2'}$-methylation of sugars in *E. coli* RNA. Part II. Methylation of ribosomal and transfer RNA by homologous methylases in crude cell-free extracts and particulate suspensions from a *relaxed* mutant of *E. coli*. J. L. Nichols and B. G. Lane, 1487.
The incorporation of cholesterol by *Pythium* sp. PRL 2142, and some of its effects on cell metabolism. J. H. Sietsma and R. H. Haskins, 813.
The influence of growth phase and ionic environment on the dissociation of *Escherichia coli* ribosomes by *p*-chloromercuribenzoate. A. T. Matheson and J. H.-C. Wang, 905.
Lipid synthesis in *Lipomyces lipofer*. F. A. McElroy, 303.
The lipids of *Listeria monocytogenes*. K. K. Carroll, J. H. Cutts, and E. G. D. Murray, 899.
Metabolism of *p*-aminobenzoic acid by a chloramphenicol-producing *Streptomyces* sp. M. Siddiqueullah, R. McGrath, L. C. Vining, F. Sala, and D. W. S. Westlake, 9.
Mutation de dépendance vis-à-vis de la streptomycine induite par le méthanesulfonate d'éthyle chez *Escherichia coli*. W. G. Verly, A. Petitpas-Dewandre, and H. Barbason, 225.
Oxidative phosphorylation in *Escherichia coli*. P. D. Bragg and C. Hou, 631.
Preparation and properties of the optical antipodes of β-methoxyvaline and β-hydroxyvaline. G. W. Edwards and M. L. Minthorn, Jr., 1227.
Radioisotopic studies on the biosynthesis of the glyceryl diether lipids of *Halobacterium cutirubrum*. M. Kates, M. K. Wassef, and D. J. Kushner, 971.
Some energy-producing systems in *Bdellovibrio bacteriovorus*, strain 6-5-S. F. J. Simpson and J. Robinson, 865.
Studies on the chemical constitution of cell-wall lipopolysaccharides from *Neisseria perflava*. G. A. Adams, M. Kates, D. H. Shaw, and M. Yaguchi, 1175.
Studies on the mechanism of action of ethylene. II. Effects of ethylene on mitochondria from rat liver and yeast, and on mitochondrial adenosine triphosphatase. A. O. Olson and M. Spencer, 283.
Sulfur-oxidizing enzyme of *Ferrobacillus ferrooxidans* (*Thiobacillus ferrooxidans*). M. Silver and D. G. Lundgren, 457.
The thiosulfate-oxidizing enzyme of *Ferrobacillus ferrooxidans* (*Thiobacillus ferrooxidans*). M. Silver and D. G. Lundgren, 1215.
Uptake of ^{32}P-orthophosphate and incorporation into phospholipids in *Tetrahymena pyriformis* W exposed to phenothiazine derivatives. C. G. Rogers, 331.
Use of ^{13}C in biosynthetic studies. Incorporation of isotopically labeled acetate and aspartate into fusaric acid. D. Desaty, A. G. McInnes, D. G. Smith, and L. C. Vining, 1293.

Neoplasia
Aggregation of an immunoglobulin fragment by sulfhydryl oxidation. C. I. Luks and G. E. Connell, 961.
Inactivation of biologically active *N*-methyl-*N*-nitroso compounds in aqueous solution: effect of various conditions of pH and illumination. D. R. McCalla, A. Reuvers, and R. Kitai, 807.
The influence of tumor–host relationships on plasma phosphate levels and phospholipid labelling. H. Aleyassine and P. G. Scholefield, 1427.
The inhibition of protein synthesis and respiration in mouse ascites tumor cells by chloramphenicol and its isomers and analogues. D. Haldar and K. B. Freeman, 1009.
The metabolism of α-2′-deoxythioguanosine in murine tumor cells. G. A. LePage, 655.
Some properties of cytoplasmic RNA fractions of the mouse Ehrlich ascites carcinoma. K. Hosokawa and M. J. Fraser, 155.
Studies of the uptake of macromolecules by cells. I. Uptake of proteins by cells of the Ehrlich–Lettré ascites carcinoma. Y. C. Choi and E. R. M. Kay, 1443.
Studies of the uptake of macromolecules by cells. II. Metabolic aspects of protein uptake by cells of the Ehrlich–Lettré ascites carcinoma. Y. C. Choi and E. R. M. Kay, 1451.
Two deoxyribonucleases from Novikoff ascites hepatoma cells. P. M. K. Ip and S. Sung, 1121.

Neurochemistry
Acetylcholine reversal of potassium inhibition of amino acid transport in rat brain cortex slices. S. Nakazawa and J. H. Quastel, 363.

T[illegible] of metals on the binding of ^{131}I-labelled acid-soluble protein to myelin in vitro. M. A. Moscarello, D. Mur[illegible]nd D. D. Wood, 235.
E[illegible]organic salts and of ouabain on some metabolic responses of rat cerebral cortex slices to cationic and elec[illegible]mulations. S. Nakazawa and J. H. Quastel, 355.
Inhibitory effects of ammonium ions and some amino acids on stimulated brain respiration and cerebral amino acid transport. S. Nakazawa and J. H. Quastel, 543.
Isolation of the γ_e-globulin of bovine cerebrospinal fluid. C. F. C. MacPherson and F. Feldmuller, 273.

Nucleic acids: constitution, synthesis, and metabolism
Biochemical changes in progressive muscular dystrophy. VII. Studies on the biosynthesis of protein and RNA in various cellular fractions of the muscle of normal and dystrophic mice. U. Srivastava, 35.
Bromouracil-resistant mutant of *Chlamydomonas*. A. R. Hipkiss, 621.
The chain termini of polynucleotides formed by limited enzymic fragmentation of wheat embryo ribosomal RNA. Part 1. Studies of snake venom phosphodiesterase. B. D. McLennan and B. G. Lane, 81.
The chain termini of polynucleotides formed by limited enzymic fragmentation of wheat embryo ribosomal RNA. Part 2. Studies of a snake venom ribonuclease and pancreas ribonuclease. B. D. McLennan and B. G. Lane, 93.
A comparative study of acid deoxyribonucleases extracted from different tissues and species. C. Cordonnier and G. Bernardi, 989.
The in vitro $O^{2'}$-methylation of RNA in the ribonucleoprotein precursor-particles from a *relaxed* mutant of *Escherichia coli*. J. L. Nichols and B. G. Lane, 109.
In vitro $O^{2'}$-methylation of sugars in *E. coli* RNA. Part II. Methylation of ribosomal and transfer RNA by homologous methylases in crude cell-free extracts and particulate suspensions from a *relaxed* mutant of *E. coli*. J. L. Nichols and B. G. Lane, 1487.
Infrared studies of DNA, water, and inositol associations. S. J. Webb and J. S. Bhorjee, 691.
Mechanism of inhibition of ribonuclease by bentonite. G. G. Jacoli, 1237.
The metabolism of α-2′-deoxythioguanosine in murine tumor cells. G. A. LePage, 655.
Metabolism of high molecular weight, polydisperse, rapidly labeled nuclear RNA in rat liver. M. Brossard and L. Nicole, 1497.
Nucleotide clusters in deoxyribonucleic acids. I. Isolation of purine oligonucleotides. R. E. Cape and J. H. Spencer, 1063.
Optical rotatory dispersion and absorbance–temperature studies on wheat embryo ribosomal ribonucleates. F. H. Wolfe, K. Oikawa, and C. M. Kay, 643.
Plasma esterase and acid ribonuclease following the injection of heparin in dogs. S. W. Levy, 289.
Some properties of cytoplasmic RNA fractions of the mouse Ehrlich ascites carcinoma. K. Hosokawa and M. J. Fraser, 155.
Specific inhibition by ATP and other properties of an endonuclease of *Neurospora crassa*. E. Z. Rabin, M. Mustard, and M. J. Fraser, 1285.
Two deoxyribonucleases from Novikoff ascites hepatoma cells. P. M. K. Ip and S. Sung, 1121.

Nucleosides and nucleotides: constitution and metabolism
A computer simulation of the effect of ethylene on mitochondrial oxidative phosphorylation. A. O. Olson, M. Spencer, and W. V. Svrcek, 513.
Fish liver pyrimidine deoxynucleoside phosphorylase and deoxyribosyltransferase. H. L. Tarr, J. E. Roy, and M. Yamamoto, 407.
Increased sensitivity in fluorometric determinations of nicotinamide nucleotide coenzymes. W. G. E. Green and G. F. Israelstam, 390.
The interaction between phosphoryl transferase and submitochondrial particles. R. E. Beyer, 677.
The metabolism of α-2′-deoxythioguanosine in murine tumor cells. G. A. LePage, 655.
The metabolism of the erythrocyte. XVIII. Inhibition of nucleotide synthesis in human erythrocytes by adenosine. S. V. Manohar, M. H. Lerner, and D. Rubinstein, 445.
Nucleotide clusters in deoxyribonucleic acids. I. Isolation of purine oligonucleotides. R. E. Cape and J. H. Spencer, 1063.
Polynucleotidase activity of animal and plant tissue phosphodiesterases. W. E. Razzell, 1.
Quantitative determination of pyrimidine nucleotide clusters by a single spectrophotometric measurement. J. H. Spencer, R. E. Cape, A. Marks, and W. E. Mushynski, 627.
Renal gluconeogenesis, adenine nucleotides, and enzyme activities. S. J. Patrick, 1345.
Specific inhibition by ATP and other properties of an endonuclease of *Neurospora crassa*. E. Z. Rabin, M. Mustard, and M. J. Fraser, 1285.
The stimulation of the 2,4-dinitrophenol-activated ATPase by anions. R. Cereijo-Santaló, 1161.
Studies on the mechanism of action of ethylene. I. The effects of ethylene on mitochondria prepared from bean cotyledons. A. O. Olson and M. Spencer, 277.
Studies on the mechanism of action of ethylene. II. Effects of ethylene on mitochondria from rat liver and yeast, and on mitochondrial adenosine triphosphatase. A. O. Olson and M. Spencer, 283.

Nutrition
Changes in esterified fatty acids in the isolated, perfused rabbit heart. K. Kako and M. J. G. Dubuc, 1241.
Effect of adrenalectomy and hypophysectomy on responses of rat liver enzymes to high-protein diets. R. A. Freedland, 1253.
The effects of vitamin E, selenium, lard, and corn oil on lipids in rat serum, muscles, and testes. M. W. Dicks-Bushnell, R. L. Andrews, and N. L. Laughrey, 1023.
Erratum: Factors influencing the nutritional value of fish flour. V. Chlorocholine chloride, a toxic material in samples extracted with 1,2-dichloroethane. I. C. Munro and A. B. Morrison, 195.

Inverse relationship of hepatic copper and iron concentrations in rats fed deficient diets. T. L. Sourkes, K. Lloyd, and H. Birnbaum, 267.
Lipogenesis in biotin deficiency. K. Dakshinamurti and P. R. Desjardins, 1261.
Liver and erythrocyte L-aspartate : and L-alanine : 2-oxoglutarate aminotransferases of the pyridoxine-deficient rat. R. Radhakrishnamurty and Z. I. Sabry, 1081.
Liver glucokinase of the biotin deficient rat. K. Dakshinamurti and C. Cheah-Tan, 75.
Time-course of enzyme adaptation. I. Effects of substituting dietary glucose and fructose at constant concentrations of dietary protein. B. Szepesi and R. A. Freedland, 1459.

Pathological biochemistry

Acetylcholine reversal of potassium inhibition of amino acid transport in rat brain cortex slices. S. Nakazawa and J. H. Quastel, 363.
Aortic glycosaminoglycans in atheroma and alloxan diabetes. T. Ichida and N. Kalant, 249.
Biochemical changes in progressive muscular dystrophy. VII. Studies on the biosynthesis of protein and RNA in various cellular fractions of the muscle of normal and dystrophic mice. U. Srivastava, 35.
Biosynthesis of renal protein in aminonucleoside nephrosis. D. M. Nicholls, 527.
Bromouracil-resistant mutant of *Chlamydomonas*. A. R. Hipkiss, 621.
A computer simulation of the effect of ethylene on mitochondrial oxidative phosphorylation. A. O. Olson, M. Spencer, and W. V. Svrcek, 513.
Differences in lactate dehydrogenase isoenzyme patterns in experimental lesions of the stomach. B. Procházka, J. Kohout, L. Korbová, V. Jirásek, V. Bárta, and M. Procházková, 129.
Drug-metabolizing activity of the human placenta. G. R. Van Petten, G. H. Hirsch, and A. D. Cherrington, 1057.
The effect of cobalt ions on energy metabolism in the rat. G. S. Wiberg, 549.
Effect of massive X-irradiation on proteins and protein synthesis in peanut cotyledons. R. B. Van Huystee, 685.
The effect of metals on the binding of ^{131}I-labelled acid-soluble protein to myelin in vitro. M. A. Moscarello, D. Murdoch, and D. D. Wood, 235.
The effect of Metopirone (SU-4885) on the metabolism of progesterone by the perfused previable human fetus. S. Shimao, N. Wiqvist, E. Diczfalusy, and S. Solomon, 663.
Effect of some pesticides on the adrenal glands in the rat. T. S. Foster, 1115.
Effect of wounding on the synthesis of phenols, phenol oxidase, and peroxidase in the tuber tissue of Jerusalem artichoke. M. Bastin, 1339.
Effects of inorganic salts and of ouabain on some metabolic responses of rat cerebral cortex slices to cationic and electrical stimulations. S. Nakazawa and J. H. Quastel, 355.
Evidence for the absence of selenocystine and selenomethionine in the serum proteins of chicks admistered selenite. K. J. Jenkins, 1417.
Further evidence of altered adrenocortical function in hypertension. Dehydroepiandrosterone excretion rate. W. Nowaczynski, F. Fragachan, J. Silah, B. Millette, and J. Genest, 1031.
Gluconeogenesis in rats during cold acclimation. P. E. Penner and J. Himms-Hagen, 1205.
Inactivation of biologically active *N*-methyl-*N*-nitroso compounds in aqueous solution: effect of various conditions of pH and illumination. D. R. McCalla, A. Reuvers, and R. Kitai, 807.
The influence of growth phase and ionic environment on the dissociation of *Escherichia coli* ribosomes by *p*-chloromercuribenzoate. A. T. Matheson and J. H.-C. Wang, 905.
Influence of several drugs on the in vivo and in vitro activity of mammalian hepatic azo-reductase. J. V. Burba, 367.
The influence of tumor–host relationships on plasma phosphate levels and phospholipid labelling. H. Aleyassine and P. G. Scholefield, 1427.
Inverse relationship of hepatic copper and iron concentrations in rats fed deficient diets. T. L. Sourkes, K. Lloyd, and H. Birnbaum, 267.
Lipid–protein interactions in abnormal egg yolk: a comparison of the major lipoprotein fractions from normal eggs and from the eggs of hens fed methyl sterculate. R. W. Burley, 851.
Liver lipids of rats administered excessive amounts of retinol. U. K. Misra, 697.
Mutation de dépendance vis-à-vis de la streptomycine induite par le méthanesulfonate d'éthyl chez *Escherichia coli*. W. G. Verly, A. Petitpas-Dewandre, and H. Barbason, 225.
Phosphoglucoisomerase activity in the atherosclerotic aorta. I. T. Anastassiades and O. F. Denstedt, 671.
Properties of turpentine relative to the effects on fowl plasma in vitro. I. The simulation of "leukemic" changes in normal plasma. C. Le Q. Darcel, R. W. Bide, and M. Merriman, 503.
Properties of turpentine relative to the effects on fowl plasma in vitro. II. The separation of peroxide components of turpentine by thin-layer chromatography. C. Le Q. Darcel, 509.
Renal gluconeogenesis, adenine nucleotides, and enzyme activities. S. J. Patrick, 1345.
Respiration and oxidative phosphorylation by muscle and heart mitochondria of hamsters with hereditary myocardiopathy and polymyopathy. K. Wrogemann and M. C. Blanchaer, 323.
Serum protein alterations in adjuvant-induced arthritis. H. E. Weimer, F. D. Wood, and C. M. Pearson, 743.
Studies on the mechanism of action of ethylene. I. The effects of ethylene on mitochondria prepared from bean cotyledons. A. O. Olson and M. Spencer, 277.
Studies on the mechanism of action of ethylene. II. Effects of ethylene on mitochondria from rat liver and yeast, and on mitochondrial adenosine triphosphatase. A. O. Olson and M. Spencer, 283.
Studies on the nature of the seromucoid and haptoglobin responses to experimental inflammation. M. Maung, D. G. Baker, and R. K. Murray, 477.
Uptake of ^{32}P-orthophosphate and incorporation into phospholipids in *Tetrahymena pyriformis* W exposed to phenothiazine derivatives. C. G. Rogers, 331.

Plant biochemistry

Action of proteolytic enzymes on wheat gluten. H. Yang and A. G. McCalla, 1019.

Amino acid, sugar, and organic acid content during germination of gateway barley and its chlorophyll mutant. P. V. Sane and S. Zalik, 1479.
Biosynthesis of mustard oil glucosides: 3-benzylmalic acid, a precursor of 2-amino-4-phenylbutyric acid and of gluconasturtiin. E. W. Underhill, 401.
The chain termini of polynucleotides formed by limited enzymic fragmentation of wheat embryo ribosomal RNA. Part 1. Studies of snake venom phosphodiesterase. B. D. McLennan and B. G. Lane, 81.
The chain termini of polynucleotides formed by limited enzymic fragmentation of wheat embryo ribosomal RNA. Part 2. Studies of a snake venom ribonuclease and pancreas ribonuclease. B. D. McLennan and B. G. Lane, 93.
Changes in lipids of cereal seedlings during vernalization. E. S. Redshaw and S. Zalik, 1093.
Culture methods and detection of glucanases in suspension cultures of wheat and barley. O. L. Gamborg and D. E. Eveleigh, 417.
Effect of benzimidazole and kinetin on the nicotinamide nucleotide content of senescing wheat leaves. D. Mishra and E. R. Waygood, 167.
Effect of massive X-irradiation on proteins and protein synthesis in peanut cotylendons. R. B. Van Huystee, 685.
Effect of wounding on the synthesis of phenols, phenol oxidase, and peroxidase in the tuber tissue of Jerusalem artichoke. M. Bastin, 1339.
Effects of radiation from $^{14}CO_2$ absorbed by *Pinus strobus* L. seedlings during photosynthesis on their subsequent growth and metabolism. D. J. Ursino, V. Slankis, and G. Krotkov, 919.
An evaluation of the effects of five buffers on respiratory parameters of isolated mitochondria. R. A. Stinson and M. Spencer, 43.
Fatty acids of Aceraceae seed oils. C. Y. Hopkins, A. W. Jevans, and M. J. Chisholm, 999.
Formation and occurrence of *N*-malonylphenylalanine and related compounds in plants. N. Rosa and A. C. Neish, 797.
Fractionation of hordein by preparative, continuous carrier-free electrophoresis. Ch. Ivanov, B. Mesrob, and Z. Prusik, 1301.
Glyoxylate aminotransferases from wheat leaves. J. King and E. R. Waygood, 771.
Incorporation of ethanolamine-1,2-^{14}C into plant microsomal phospholipids. S. L. Vandor and K. E. Richardson, 1309.
Incorporation of serine-U-^{14}C into β-cyanoalanine and γ-glutamyl-β-cyanoalanine in *Vicia sativa*. S. N. Nigam and W. B. McConnell, 1327.
Isolation and some properties of argininosuccinate lyase from a higher plant source. P. D. Shargool and E. A. Cossins, 393.
5-Methyltetrahydrofolic acid and other folate derivatives in germinating pea seedlings. A. J. Roos, A. M. Spronk, and E. A. Cossins, 1533.
Optical rotatory dispersion and absorbance–temperature studies on wheat embryo ribosomal ribonucleates. F. H. Wolfe, K. Oikawa, and C. M. Kay, 643.
Physicochemical and chemical studies on wheat embryo ribosomal proteins. F. H. Wolfe and C. M. Kay, 373.
The proteins of rapeseed (*Brassica napus* L.) soluble in salt solution. R. S. Bhatty, S. L. McKenzie, and A. J. Finlayson, 1191.
A simple method for the isolation of fraction I protein of chloroplasts. J. H. Wilson and D. R. McCalla, 441.
Simultaneous biosynthesis of pyocyanine, phenazine-1-carboxylic acid, and oxychlororaphine from labelled substrates by *Pseudomonas aeruginosa* Mac 436. P. C. Chang and A. C. Blackwood, 925.
Some effects of phloridzin and quinacrine on photophosphorylation and carbon dioxide fixation by isolated spinach chloroplasts. J. R. Vose and M. Spencer, 1475.
Sources of sulfur in the thioglucosides of various higher plants. L. R. Wetter and M. D. Chisholm, 931.
Studies on the mechanism of action of ethylene. I. The effects of ethylene on mitochondria prepared from bean cotyledons. A. O. Olson and M. Spencer, 277.

Proteins and amino acids: metabolism

Acetylcholine reversal of potassium inhibition of amino acid transport in rat brain cortex slices. S. Nakazawa and J. H. Quastel, 363.
The action of some enzymes on homolysine derivatives. J. H. Seely and L. Benoiton, 387.
Amino acid, sugar, and organic acid content during germination of gateway barley and its chlorophyll mutant. P. V. Sane and S. Zalik, 1479.
Biochemical changes in progressive muscular dystrophy. VII. Studies on the biosynthesis of protein and RNA in various cellular fractions of the muscle of normal and dystrophic mice. U. Srivastava, 35.
Biosynthesis of chloramphenicol. III. Phenylpropanoid intermediates. R. McGrath, L. C. Vining, F. Sala, and D. W. S. Westlake, 587.
Biosynthesis of valinomycin. J. C. MacDonald and G. P. Slater, 573.
Degradation of the carbon skeleton of glutamic acid. S. H. Simon and J. J. O'Neill, 1333.
Effect of thyroid hormones in metabolism. II. The effect of adrenalectomy or hypophysectomy on responses of rat liver enzyme activity to L-thyroxine injection. R. A. Freedland, E. H. Avery, and A. R. Trevior, 141.
Effects of inorganic salts and of ouabain on some metabolic responses of rat cerebral cortex slices to cationic and electrical stimulations. S. Nakazawa and J. H. Quastel, 355.
Evidence for albumin – Cu(II) – amino acid ternary complex. B. Sarkar and Y. Wigfield, 601.
Formation and occurrence of *N*-malonylphenylalanine and related compounds in plants. N. Rosa and A. C. Neish, 797.
The formation of sulfenyl iodides as intermediates during the in vitro iodination of tyrosine by calf thyroid homogenates. D. M. Fawcett, 1433.
Further studies on ε-lysine acylase. The ω-*N*-acyl-diamino acid hydrolase activity of avian kidney. J. Leclerc and L. Benoiton, 471.
Glyoxylate aminotransferases from wheat leaves. J. King and E. R. Waygood, 771.
The in vitro $O^{2'}$-methylation of RNA in the ribonucleoprotein precursor-particles from a *relaxed* mutant of *Escherichia coli*. J. L. Nichols and B. G. Lane, 109.

Incorporation of ethanolamine-1,2-^{14}C into plant microsomal phospholipids. S. L. Vandor and K. E. Richardson, 1309.
Incorporation of serine-U-^{14}C into β-cyanoalanine and γ-glutamyl-β-cyanoalanine in *Vicia sativa*. S. N. Nigam and W. B. McConnell, 1327.
Independence of growth hormone effects on nitrogen retention and free fatty acid mobilization. J. S. Cheng and N. Kalant, 1269.
Inhibitory effects of ammonium ions and some amino acids on stimulated brain respiration and cerebral amino acid transport. S. Nakazawa and J. H. Quastel, 543.
Lipid–protein interactions in abnormal egg yolk: a comparison of the major lipoprotein fractions from normal eggs and from the eggs of hens fed methyl sterculate. R. W. Burley, 851.
Liver and erythrocyte L-aspartate : and L-alanine : 2-oxoglutarate aminotransferases of the pyridoxine-deficient rat. R. Radhakrishnamurty and Z. I. Sabry, 1081.
Mechanism of detoxication of some organophosphorus compounds: the role of glutathione-dependent demethylation. A. Morello, A. Vardanis, and E. Y. Spencer, 885.
Preparation and properties of the optical antipodes of β-methoxyvaline and β-hydroxyvaline. G. W. Edwards and M. L. Minthorn, Jr., 1227.
Properties of turpentine relative to the effects on fowl plasma in vitro. I. The simulation of "leukemic" changes in normal plasma. C. Le Q. Darcel, R. W. Bide, and M. Merriman, 503.
Studies of the uptake of macromolecules by cells. I. Uptake of proteins by cells of the Ehrlich–Lettré ascites carcinoma. Y. C. Choi and E. R. M. Kay, 1443.
Studies of the uptake of macromolecules by cells. II. Metabolic aspects of protein uptake by cells of the Ehrlich–Lettré ascites carcinoma. Y. C. Choi and E. R. M. Kay, 1451.
Sulfur-oxidizing enzyme of *Ferrobacillus ferrooxidans* (*Thiobacillus ferrooxidans*). M. Silver and D. G. Lundgren, 457.
Use of ^{13}C in biosynthetic studies. Incorporation of isotopically labeled acetate and aspartate into fusaric acid. D. Desaty, A. G. McInnes, D. G. Smith, and L. C. Vining, 1293.
The venom of the honeybee (*Apis mellifera*): free amino acids and peptides. D. A. Nelson and R. O'Connor, 1221.

Proteins and amino acids: synthesis

Biosynthesis of mustard oil glucosides: 3-benzylmalic acid, a precursor of 2-amino-4-phenylbutyric acid and of gluconasturtiin. E. W. Underhill, 401.
Biosynthesis of renal protein in aminonucleoside nephrosis. D. M. Nicholls, 527.
Codon assignments and fidelity of translation in a cell-free protein-synthesizing system from an extremely halophilic bacterium. S. T. Bayley and E. Griffiths, 937.
Effect of massive X-irradiation on proteins and protein synthesis in peanut cotyledons. R. B. Van Huystee, 685.
Effect of wounding on the synthesis of phenols, phenol oxidase, and peroxidase in the tuber tissue of Jerusalem artichoke. M. Bastin, 1339.
The inhibition of protein synthesis and respiration in mouse ascites tumor cells by chloramphenicol and its isomers and analogues. D. Haldar and K. B. Freeman, 1009.
Isolation and some properties of argininosuccinate lyase from a higher plant source. P. D. Shargool and E. A. Cossins, 393.
The relationship of protein synthesis to the secretion of the lipid moiety of low density lipoprotein by liver. J. T. Buckley, T. J. Delahunty, and D. Rubinstein, 341.
Studies on amphibian yolk. VII. Serum phosphoprotein synthesis by vitellogenic females and estrogen-treated males of *Xenopus laevis*. R. A. Wallace and D. W. Jared, 953.
Studies on the nature of the seromucoid and haptoglobin responses to experimental inflammation. M. Maung, D. G. Baker, and R. K. Murray, 477.
Synthesis and properties of γ-hydroxyarginine. B. A. Santa Rossa and T. Viswanatha, 725.

Proteins: constitution and properties

Action of proteolytic enzymes on wheat gluten. H. Yang and A. G. McCalla, 1019.
Aggregation of an immunoglobulin fragment by sulfhydryl oxidation. C. I. Luks and G. E. Connell, 961.
Amino acid sequences of some tryptic peptides from the β-chain of horse hemoglobin. D. B. Smith, 825.
Binding of testosterone and estradiol in plasma. B. E. P. Murphy, 299.
Characterization of glycopeptides derived from the low-density lipoprotein of hen's egg yolk. J. Z. Augustyniak and W. G. Martin, 983.
A comparative study of acid deoxyribonucleases extracted from different tissues and species. C. Cordonnier and G. Bernardi, 989.
Detection of multiple forms of proteolytic enzymes by starch gel electrophoresis. E. Kaminski and W. Bushuk, 1317.
The effect of ligand binding and acid splitting on the optical rotatory dispersion of ferric horseradish peroxidase. W. D. Ellis and H. B. Dunford, 1231.
The effect of metals on the binding of ^{131}I-labelled acid-soluble protein to myelin in vitro. M. A. Moscarello, D. Murdoch, and D. D. Wood, 235.
Egg proteins of pacific salmon, genus *Oncorhynchus*: proteins in the soluble fraction. J. R. Markert and E. W. Vanstone, 1334.
Erratum: Isolation, purification, and characterization of γ-lipotropic hormone from sheep pituitary glands. M. Chrétien and C. H. Li, 119.
Evidence for albumin – Cu(II) – amino acid ternary complex. B. Sarkar and Y. Wigfield, 601.
Evidence for the absence of selenocystine and selenomethionine in the serum proteins of chicks administered selenite. K. J. Jenkins, 1417.
Fractionation of hordein by preparative, continuous carrier-free electrophoresis. Ch. Ivanov, B. Mesrob, and Z. Prusik, 1301.
Glycosidases in bovine milk: α-mannosidase and its inhibition by zwitterions. A. Mellors and V. R. Harwalkar, 1351.

The inhibition of chymotrypsins A_4 and B with chloromethyl ketone reagents. K. J. Stevenson and L. B. Smillie, 1357.
Isolation and characterization of antigenic components of rat glomerular basement membrane. F. Huang and N. Kalant, 1523.
Isolation of the γ_c-globulin of bovine cerebrospinal fluid. C. F. C. MacPherson and F. Feldmuller, 273.
Mechanism of the bentonite flocculation technique. R. Wallace, B. B. Diena, and L. Greenberg. 623.
Microheterogeneity of human serum albumin: evidence for differences in reducibility of disulfide linkages. A. F. S. A. Habeeb, 789.
Molecular heterogeneity of a pig serum low-density lipoprotein. M. Janado and W. G. Martin, 875.
Molecular weight of erythropoietin from anemic sheep plasma and human urine. W. Lukowsky and R. H. Painter, 731.
Mutual solubility of the lipid components of egg yolk low-density lipoprotein. H. Schneider and N. H. Tattrie, 979.
An optical rotary dispersion study on fibrinogen and some of its derivatives. W. D. McCubbin and C. M. Kay, 617.
The oxidation of β-lactoglobulin in sodium dodecyl sulfate solutions. J. Leslie and F. Varricchio, 625.
The oxidized forms of cytochrome oxidase. G. R. Williams, R. Lemberg, and M. E. Cutler, 1371.
Pancreatic insulinase and its inhibition by the A and B chains and partial hydrolysate of insulin. Y. Tasaka and J. Campbell, 483.
Physicochemical and chemical studies on wheat embryo ribosomal proteins. F. H. Wolfe and C. M. Kay, 373.
Possible isoenzymes of monoamine oxidase in rat tissues. H. C. Kim and A. D'Iorio, 295.
Protein–carbohydrate interaction. XV. The role of bivalent cations in concanavalin A – polysaccharide interaction. B. B. L. Agrawall and I. J. Goldstein, 1147.
The proteins of rapeseed (*Brassica napus* L.) soluble in salt solutions. R. S. Bhatty, S. L. McKenzie, and A. J. Finlayson, 1191.
Purification of human 19S thyroglobulin by gel filtration. J. Mouriz and J. B. Stanbury, 51.
Reaction of *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine with protein: formation of nitroguanido derivatives. D. R. McCalla and A. Reuvers, 1411.
Ribosomal proteins from goose reticulocytes are not histones. J. M. Neelin and G. Vidali, 1507.
Ribosome aggregates of the midgut of silkworm, *Bombyx mori* L. Y. Hayashi, 117.
Serum protein alterations in adjuvant-induced arthritis. H. E. Weimer, F. D. Wood, and C. M. Pearson, 743.
A simple method for the isolation of fraction I protein of chloroplasts. J. H. Wilson and D. R. McCalla, 441.
Some physical properties of the esterases of bovine liver. D. J. Ecobichon, 1131.
The stability of acid-soluble chromosomal proteins from avian erythrocytes. G. Vidali and J. M. Neelin, 781.
Studies on γA-globulins and α_2-macroglobulins. Characterization of γA- and α_2-macroglobulins. B. E. Sanders and Y. H. Oh, 211.
The sulfhydryl groups of muscle phosphorylase. I. Number and reactivity. M. L. Battell, L. B. Smillie, and N. B. Madsen, 609.
Tritium–hydrogen exchange in insoluble collagen. D. J. Kingham and D. A. Brisbin, 1199.
Variability in cell-specific and common histones of avian erythrocytes. J. M. Neelin, 241.
Visible, optical rotatory dispersion, and paramagnetic resonance spectra of the L-histidine–Cu(II)–L-threonine complex. B. Sarkar, M. Bersohn, Y. Wigfield, and T.-C. Chiang, 595.

Steroids

Agents affecting lipid metabolism. XXXI. Properties of an inhibitor of cholesterol synthesis present in rabbit liver mitochondria. M. N. Cayen and D. Dvornik, 179.
Agents affecting lipid metabolism. XXXII. Effect of a liver mitochondrial extract on cholesterol synthesis in the rat. M. N. Cayen, P. Hill, and D. Dvornik, 189.
Agents affecting lipid metabolism. XXXIII† A mitochondrial swelling technique for the preparation of a liver extract which suppresses cholesterogenesis in vitro. M. N. Cayen, 191.
Agents affecting lipid metabolism. XXXVI. Effect of *N*-cyclohexyl linoleamide on hepatic cholesterogenesis in vitro. D. Dvornik, 1430.
Binding of testosterone and estradiol in plasma. B. E. P. Murphy, 299.
Control of progesterone biosynthesis in the bovine corpus luteum: effects of luteinizing hormone and of reduced nicotinamide–adenine dinucleotide phosphate in vitro. D. T. Armstrong and D. L. Black, 1137.
Conversion in vivo of injected estradiol-17β-4-^{14}C and estrone-4-^{14}C to urinary estradiol-17α-^{14}C by the hen. S. Mulay and R. H. Common, 965.
Corticosteroid metabolism in fetal and newborn mice. A. F. Burton and C. L. Jeyes, 15.
11-Dehydrocorticosteroids in tissues of mice. A. F. Burton and R. W. Turnell, 497.
Effect of 17α-methyltestosterone on steroid formation by rat adrenal tissue. R. Rembiesa, P. C. M. Young, and M. Saffran, 433.
The effect of Metopirone (SU-4885) on the metabolism of progesterone by the perfused previable human fetus. S. Shimao, N, Wiqvist, E. Diczfalusy, and S. Solomon, 663.
Effect of some pesticides on the adrenal glands in the rat. T. S. Foster, 1115.
Further evidence of altered adrenocortical function in hypertension. Dehydroepiandrosterone excretion rate. W. Nowaczynski, F. Fragachan, J. Silah, B. Millette, and J. Genest, 1031.
Glycerol as an inhibitor of cholesterol synthesis. B. B. Migicovsky, 859.
Importance de la forme cristalline de l'acétate de cortisone pour sa déshydrogénation en C-1 par *Arthrobacter simplex*. G. Catroux, J.-C. Fournier et H. Blachère, 537.
In vitro biosynthesis of steroid sulfates by cell-free preparations from tissues of the laying hen. H. R. Raud and R. Hobkirk, 749.
In vitro metabolism of estrone-4-^{14}C and estrone-6,7-^{3}H-3-sulfate by laying hen liver homogenates. H. R. Raud and R. Hobkirk, 759.
The incorporation of cholesterol by *Pythium* sp. PRL 2142, and some of its effects on cell metabolism. J. H. Sietsma and R. H. Haskins, 813.

Increase in serum hyaluronidase levels in rats given hydrocortisone or prednisolone. J. M. Bowness and G. Harding, 489.
Influence of *N*-cyclohexyl linoleamide on cholesterol synthesis by rat liver slices. D. Kritchevsky and S. A. Tepper, 1429.
The nature of the glycosidic conjugates of estriol epimers in rabbits. D. C. Collins and D. S. Layne, 1089.
Regulatory interactions of dehydroepiandrosterone and its sulfate in rat testis tissue. A. D. Notation and F. Ungar, 1185.
The role of ammonium sulfate precipitation in the removal of substances which interfere with enzymatic hydrolysis of conjugated estrogens in pregnancy urine. S. L. Cohen, 563.
Separation of soluble mouse liver 21-desoxy-20α-hydroxysteroid : NADP 20α-oxidoreductase from 21-hydroxy-20α-hydroxysteroid : NADP 20α-oxidoreductase. M. Darrach, R. E. Krehbiel, and L. A. Deeth, 715.
Studies on mouse liver 21-deoxy- and 21-hydroxy-20α-hydroxysteroid : NADP 20α-oxidoreductase. R. Krehbiel and M. Darrach, 1075.
Suppression of hepatic cholesterogenesis in the rat by lithium ion. R. S. Leal and M. L. M. Lyra, 135.
Ubiquinone, vitamin A, and sterol levels in liver of neonatal pigs. W. E. J. Phillips and R. L. Brien, 291.

Tissue culture
Acid-soluble metabolites of adenine-2-^{14}C and adenine-8-^{14}C in 2,6-diaminopurine-sensitive and 2,6-diaminopurine-resistant L strain mouse cells. D. G. R. Blair, 217.
Culture methods and detection of glucanases in suspension cultures of wheat and barley. O. L. Gamborg and D. E. Eveleigh, 417.

Topochemistry of cells and tissues
Absence of normal cell wall constituents from the outer layers of *Halobacterium cutirubrum*. D. J. Kushner and H. Onishi, 997.
Agents affecting lipid metabolism. XXXI. Properties of an inhibitor of cholesterol synthesis present in rabbit liver mitochondria. M. N. Cayen and D. Dvornik, 179.
Agents affecting lipid metabolism. XXXII. Effect of a liver mitochondrial extract on cholesterol synthesis in the rat. M. N. Cayen, P. Hill, and D. Dvornik, 189.
Agents affecting lipid metabolism. XXXIII. A mitochondrial swelling technique for the preparation of a liver extract which suppresses cholesterogenesis in vitro. M. N. Cayen, 191.
Biochemical changes in progressive muscular dystrophy. VII. Studies on the biosynthesis of protein and RNA in various cellular fractions of the muscle of normal and dystrophic mice. U. Srivastava, 35.
Biosynthesis of renal protein in aminonucleoside nephrosis. D. M. Nicholls, 527.
Chondroitin sulfate changes in puppy rib cartilage during the period of calcification. J. M. Bowness and M. Jacobs, 63.
Comparative mitochondrial function in two strains of *Aspergillus niger*. E. S. Higgins and W. H. Friend, 1515.
A comparative study of acid deoxyribonucleases extracted from different tissues and species. C. Cordonnier and G. Bernardi, 989.
Differences in lactate dehydrogenase isoenzyme patterns in experimental lesions of the stomach. B. Procházka, J. Kohout, L. Korbová, V. Jirásek, V. Bárta, and M. Procházková, 129.
The effect of Mg^{++} on the ATPase activity of intact liver mitochondria. R. Cereijo-Santaló, 510.
Fatty acid esterifying enzymes in rat adipose tissue homogenates. A. M. Daniel and D. Rubinstein, 1039.
Fish liver pyrimidine deoxynucleoside phosphorylase and deoxyribosyltransferase. H. L. Tarr, J. E. Roy, and M. Yamamoto, 407.
Fish muscle glycogen phosphorylase. M. Yamamoto, 423.
β-Glucuronidase of rat-liver lysosomes: pH-activity curves. E. Delvin and R. Gianetto, 389.
In vitro biosynthesis of steroid sulfates by cell-free preparations from tissues of the laying hen. H. R. Raud and R. Hobkirk, 749.
The incorporation of cholesterol by *Pythium* sp. PRL 2142, and some of its effects on cell metabolism. J. H. Sietsma and R. H. Hawkins, 813.
Isolation and characterization of antigenic components of rat glomerular basement membrane. F. Huang and N. Kalant, 1523.
Mechanism of detoxication of some organophosphorus compounds: the role of glutathione-dependent demethylation. A. Morello, A. Vardanis, and E. Y. Spencer, 885.
The metabolism of isolated pneumocytes from rabbit lung. B. M. Wolfe, D. Rubinstein, and J. C. Beck, 151.
Phosphoglucoisomerase activity in the atherosclerotic aorta. I. T. Anastassiades and O. F. Denstedt, 671.
Possible isoenzymes of monoamine oxidase in rat tissues. H. C. Kim and A. D'Iorio, 295.
Respiration and oxidative phosphorylation by muscle and heart mitochondria of hamsters with hereditary myocardiopathy and polymyopathy. K. Wrogemann and M. C. Blanchaer, 323.
Reversal of mitochondrial swelling associated with fatty acid oxidation. II. Effects of cytochrome *c* and carnitine on contraction of fatty acid swollen mitochondria. M. Nakatani and W. C. McMurray, 1151.
Ribosomal proteins from goose reticulocytes are not histones. J. M. Neelin and G. Vidali, 1507.
Ribosome aggregates of the midgut of silkworm, *Bombyx mori* L. Y. Hayashi, 117.
Size and shape of isolated rat liver mitochondria. C. V. Lusena, 879.
Studies on the biological control of glycogen metabolism in liver. III. Subcellular distribution of glycogen metabolizing enzymes. V. T. Maddaiah and N. B. Madsen, 521.
The subcellular distribution of fatty acid components in ovine heart homogenate. A. R. Neill and C. J. Masters, 121.